

A land survey made in Sections 30, 31, 32, and 33, Township 32 North, Range 14 East, and Section 9, Township 31 North, Range 14 East, Langlade County.

The survey commenced in January, 1967 and was completed in March, 1967.

A Silva hand compass with 2° graduations and a 75 chain steel tape were used.

Members of the party included Ken Steiro and Bruce Olsson of the American Can Company, and Bernard Krueger and Gary Lonsert of the Wisconsin Conservation Department.

All bearings noted on BT's run from BT to corner.

Section 30, Township 32 N., Range 14 E.

A random line beginning at a squared tree and the NE corner of Section 30, thence running due west 81.57 chains to a point 4.64 chains north of an iron pipe and the NW corner of Section 30. Thence returning easterly on the section line 22.14 chains to a point in the railroad and the NE corner of the NW $\frac{1}{4}$ and is witnessed with a location poster on a telephone pole, N58W .63 ch.; thence continuing easterly on the section line 19.86 chains and set a wood post for the NE corner of section 30, BT 14" maple N 5° E .25 ch.; thence continuing easterly on the section line 19.85 chains and set a wood post for the NW corner of the NENE; thence continuing easterly on the section line 19.85 chains to a squared tree and the NE corner of Section 30.

A random line beginning at a squared wood post and the SE corner of Section 30; thence running westerly 81.96 chains to a point 2.20 chains south of a point in the railroad and the SW corner of Section 30 witnessed by a 10" oak N44E .81 ch. Thence returning easterly on the section line 22.25 chains and set a wood post for the SE corner of the SWSW, BT 2" maple S40°E .17 ch.; thence continuing easterly on the section line 19.91 chains and set a wood post for the S $\frac{1}{4}$ corner of Section 30, BT 8" basswood due S .16 ch.; thence continuing easterly on the section line 19.91 chains and set a wood post for the SW corner of the SESE; thence continuing easterly on the section line 19.91 chains to a squared wood post and the SE corner of Section 30.

A random line beginning at an iron pipe and the NW corner of Section 30; thence S2°E 79.93 chains to a point .22 chains west of the SW corner of Section 30. Thence northerly on the section line 19.985 to a point in the Wolf River and the NW corner of the SWSW, witnessed with a location poster north of the river on a 6" ash N2°W .65 ch.; thence continuing northerly on the section line 9.99 chains and set a wood post for the mid-point of the west line of the N $\frac{1}{2}$ W, BT 6" oak S38°E .24 ch.; thence continuing northerly on the section line 9.99 chains and set a wood post for the W $\frac{1}{4}$ corner of Section 30, BT 6" oak S45°W .14 ch.; thence continuing northerly on the section line 19.985 chains to a point which is the SW corner of the N $\frac{1}{2}$ W; thence continuing northerly on the section line 19.98 to an iron pipe and the NW corner of Section 30.

A random line beginning at a wood post and the S $\frac{1}{4}$ corner of Section 30; thence N2°W 79.98 chains to a point .16 chains east of the NW corner. Thence returning southerly on the corrected random line 19.995 chains and set a wood post for the SW corner of the N $\frac{1}{2}$ W, BT 12" yellow birch S36°E .06 ch.; thence continuing southerly on the corrected line 19.995 chains and set a wood post for the center

RECORD # 10328
LANGLADE COUNTY SURVEYORS OFFICE
DATE FILED: 8/30/83 BY: D.T.

of section 30, RT 8" maple N36°W .165 ch.; thence continuing southerly on the corrected line 19.995 and set a wood post for the NW corner of the SWSE; thence continuing southerly on the corrected line 19.995 chains to a wood post and the SW corner of Section 30.

The following interior corners were set in Section 30:

1. Wood post at center of N4SE
RT 4" maple S30°W .10 ch.
2. Wood post 4.965 chains N87°E of SW corner N4SE
RT 8" yellow birch S3°E .08 ch.
3. Wood post 4.97 chains S87°W of center of section
RT 8" ash N8°E
4. Wood post 4.97 chains S87°W of a point 10.0 chains S2°E of center of Section.
RT 6" maple N72°E .14 ch.
5. Wood post 10.0 chains S2°E of center of section.
RT 10" maple N38°E .285 ch.
6. Wood post 15.0 chains S2°E of center of section.
RT 6" maple N70°W .04 ch.
7. Wood post 9.95 chains N87°E of NW corner of SWSE
RT 4" maple N68°W .08 ch.
8. Wood post 4.98 chains S87°W of SE corner of SWSE
RT 6" yellow birch S22°E .135 ch.
9. Wood post at center of N4SW
RT 8" yellow birch S66°W .18 ch.
10. Wood post 4.97 chains N87°E of center of NW4
RT 10" maple N52°E .05 ch.
11. Wood post at center of NW4
RT 12" maple S72°W .13 ch.
12. NE corner of N4SW is a 4" squared maple
13. Wood post at center of N4SW.
RT 8" ash S50°W

Section 31, Township 32 N., Range 14 E.

The following corners were set in Section 31:

1. Wood post 10.0 chains S2°E of NE corner of section,
RT 10" elm S60°E .19 ch.
2. Wood post at center of N4SE
RT 6" maple S24°W .18 ch.

Section 32, Township 32 N., Range 14 E.

A random line beginning at a squared wood post and the NW corner of Section 32; thence S2°E 79.82 chains to a point .24 ch. east of a wood post and the SW corner of Section 32. Thence returning northerly on the corrected random line 19.955 and set a wood post for the NW corner of the SWSE.

- RT 8" Basswood N78°W .18 ch
- 4" Maple N60°E .25 ch
- 12" Maple S22°E .195 ch.

Thence continuing northerly on the corrected random line 19.955 and set a wood post for the center of Section 32.

BT 6" Aspen N45°W .09 ch.
6" Cherry S22°E .06 ch.

Thence continuing northerly on the corrected random line 19.955 to a wood post and the NW corner of the S1/2; thence continuing northerly on the corrected random line 19.955 to a squared wood post and the N1/2 corner of Section 32.

A random line beginning at a squared wood post and the E1/2 corner of Section 32; thence southerly 40.06 chains to a point .65 ch. west of the SE corner of Section 32; said corner is .25 chains east of the left bank of the Wolf River. Thence returning northerly on the section line 10.015 chains and set a wood post at the mid-point of the east line of the S1/2E.

BT 8" Ash N60°E .10 ch.

Thence continuing northerly on the section line 10.015 chains and set a wood post for the NE corner of the S1/2E.

BT 8" Ash N30°W .15 ch.

Thence continuing northerly on the section line 10.015 chains and set a wood post at the mid point on the east line of the N1/2E.

BT 6" hard maple N66°W .32 ch.

Thence continuing northerly on the section line 1.515 chains and set a wood post.

BT 6" Cherry N32°E .10 ch.

Thence continuing northerly on the section line 8.5 chains to a squared wood post and the E1/2 corner of Section 32.

A random line beginning at the SE corner of Section 32; thence westerly 39.00 chains to a point .72 chains north of a squared wood post and the S1/2 corner of section 32. Thence returning easterly on the section line 29.925 chains and set a wood post at the mid point of the south line of the S1/2E.

BT 8" Hard Maple N12°W .135 ch.

Thence continuing easterly on the section line 9.975 to the SE corner of Section 32.

A random line beginning at the E1/2 corner of Section 32; thence westerly 39.60 to a point .19 chains south of a wood post and the center of Section 32. Thence returning easterly on the corrected random line 19.80 and set a wood post for the NW corner of N1/2E.

BT 8" Hemlock S84°W .07 ch.

Thence continuing easterly on the corrected random line 19.80 chains to a squared wood post and the E1/2 corner of Section 32.

The following interior corners were set in Section 32:

1. Wood post 8.5 chains $S2^{\circ}E$ of the NW corner of the N1/2E
BT 10" maple $S58^{\circ}W$.31 ch.
2. Wood post 10.0 chains $S2^{\circ}E$ of the NW corner of the N1/2E
BT 8" yellow birch due North .025 ch.
3. Wood post 4.99 chains $S2^{\circ}E$ of center of Section 32.
BT 14" elm $S80^{\circ}E$.05 ch.
4. Wood post 5.0 chains $N2^{\circ}W$ of SW corner of S1/2E
BT 4" hard maple $N40^{\circ}E$.19 ch.
5. Wood post 8.0 chains $N2^{\circ}W$ of SW corner of S1/2E.
6. Wood post 8.0 chains $N2^{\circ}W$ of NW corner of Section 32.
7. Wood post 5.0 chains east of SW corner of N1/2W
BT 6" hemlock .03 ch.

Section 33, Township 32 N., Range 14 E.

The following interior corners were set in Section 33:

1. Wood post at center of N1/2W.
BT 6" maple $S52^{\circ}E$.24 ch.
2. Wood post 10.0 chains $N87^{\circ}E$ of the NW corner of the S1/2W.
BT 6" maple $N2^{\circ}W$.07 ch.

Section 5, Township 31 North, Range 14 E.

Beginning at a wood post and the SW corner of N1/2E; thence east along the south line of N1/2E 8.0 chains to a point; thence $N1^{\circ}E$ to a point on the north line of the N1/2E, said point is 8.0 chains east of the NW corner of the N1/2E.