

Forester Copy
W.C.D. Antigo

RESURVEY OF TOWN 31 NORTH
RANGE 9 EAST including the
East half of the Township

Resurvey By: D. A. Hintz
Assisted By: Hugh St. Claire

1937 BY DATOS ON SOME MAN'S F&O

RECORD # 11101
LANGLADE COUNTY SURVEYORS OFFICE
DATE FILED: 5/25/37 BY: D. TRUSTY

The SE town corner of this town could not be found and from all information we could gather, which was almost nothing, no stone corner had ever been set.

This town line is also the County line bet. Langlade and Marathon Counties and is a Base line sometimes called the third correction line. Years ago a road was built to about the $S\frac{1}{4}$ corner of section 35, T31N, R9E.

The nearest corners to the SE Town corner that we found were: - The SW Corner section 32, T31N, R9E and the SE corner of Section 33, T31N, R10E. Both of these corners were good.

We then set the entire eight (8) miles of line according to instructions set forth by the U. S. Government, thus establishing the SE corner of section 36, T31N, R9E.

These corrections follow the old county line road very close.

D. A. Hintz

INDEX

T. 51 N. R. 9 E.

	13	12	11		
49	3	38	2	26	1
	48		37		25
47	10	36	11	24	12
	46		35		23
45	15	34	14	22	13
	44		33		21
		32			
43	22	31	25	20	24
	42		30		19
41	27	29	26	18	25
	40		28		17
39	34	27	35	16	36
	3	2	1		

Red Numbers Indicate Page Nos in orig field notes

SOUTH BOUNDARY

T31N R9E

West on south side 30.

S 89° 47' E
Var. 2° 27' E

Town corner 35' N. of old road

20.065 Chs.	Set E 1/16. No B T
40.130 "	Set 1/4 cor No B T
60.195 "	Set W 1/16. No B T
80.260 "	Set SW cor sec. 36 on North side of old road. No B T. Ground level but very heavy cover mostly young aspen. Country badly burned.

West on south side 35.

S 89° 47' W
Var. 2° 27' E

20.065 Chs.	Set E 1/16 S side Sec. 35
34.80 "	Enter swamp. old corduroy
40.13 "	set 1/4 cor S. side sec. 35 just on N edge of old corduroy
42.40 "	Leave swamp and old corduroy
60.195 "	Set W 1/16 S. side Sec. 35
80.26 "	Set cor 34-35 about 5' SW of this point we found part of an old stake that had been scribed, but ground was so badly burned we could not identify the stps.

West on south side Sec 34.

S 89° 47' W
Var. 2° 27' E

20.065 Chs.	Set E 1/16 south side 34
40.130 "	Set 1/4 cor south side 34. No B T.
60.195 "	Set W 1/16 south side 34
80.26 "	Set cor sec 33-34. Dorr set this corner with stone about 40 years ago but we found no trace of it. Country badly burned over, forest cover young aspen.

EAST BOUNDARY

T31N R9E

4

North bet R 9-10 E.

N 0° 22' E
Var. 1°19' E

17.467 Chs.
34.935 "
52.402 "
69.87 "

Set S 1/16 cor
Set 1/4 bet 31-36
Set N 1/16 cor
Set cor 25-30-31-36, T31N, R9-10 E.
Country mostly semi swamp, and covered
with aspen. Small growth of soft maple
around this corner.
Followed fence all the way North.

North bet Sec. 25-30.

.5

N 0° 22' E
Var. 1°19' E

17.467 Chs.
34.935 "
49.50 "
52.402 "
69.87 "

Set S 1/16 bet 25-30 ←
Set 1/4 cor bet 25-30
Fence corner, fence turns East.
Set N 1/16, bet 25-30
To cor. 19-24-25-30. Drove iron peg 1/2"x2"
into road. Brass cap 30° South & another
iron peg 30° N.
Country covered with young aspen

698
524

748 6

North bet 19-24.

N 0° 36' E
Var. 1°05' E

20.67 Chs.
27.30 "
41.33 "
62.00 "
64.35 "
69.00 "
79.45 "
82.67 "

Set S. 1/16 bet 19-24
Center of fire lane, runs almost E & W
Set 1/4 bet 19-24, W pine stp. 24 N 17 W 48 lks.
Set N 1/16 bet 19-24
Top of bald hill
Enter marsh
Leave marsh
To sec cor 13-18-19-24, New B T.
W Pine 30 N 7 E 106.8 lks.
W Pine 26 S 52 W 174.6 lks.
W Pine 30 N 88 1/2 W 228.8 lks.
Country level mostly aspen

North bet 13-18

N 1° 53' W
Var. 8°34' E

7

- 20.46 Chs. Set S 1/16 cor and enter swamp
W Pine 30 N 55 W 459 lks.
- 23.00 " Black Brook 10 lks. Wide, flows SE
- 29.00 " Leave swamp
- 40.92 " To 1/4 cor. set by Brooks, 1907
Pine stp. 18 N 16 W 33
Maple S N 67 1/2 E 45 1/4
- 61.58 " Set N 1/16 bet 13-18
W Pine 15 S 20 E 185.1 lks.
- 61.84 " Set sec cor. 7-12-13-18
This corner never set by Brooks who ran
from cor 13-18-19-24 to 1/4 bet 7-12 and
then established 1/4 bet 13-18.

North bet 7-12

S

N 1° 53' W
Var. 8°34' E

- 20.46 Chs. Set S 1/16 bet 7-12
- 40.92 " To 1/4 bet 7-12. Stone with + on top.
No BT. Set brass cap in place of stone.

N 2° 06' W
Var. 2° E

- 20.26 Chs. Following old road North.
Set N 1/16 bet 7-12 in old road. 1/8
cor set 10 feet W.
- 40.52 " To sec cor. 1-6-7-12 Stone with + partly
broken off.
Brass cap 20' SW in line with cor and then
91 feet to SW cor of school.
Brass cap, stone corner, and SW cor of
school all in line.

9

North bet 1-6

N 30 55' W
Var 20' E

20.71 Chs.
41.72 "

Set S 1/16 cor. 21.3 feet West
To stone 1/4 cor in road.
Brass cap 30' SW and in line with
1/4 corner and iron peg 55' NE of
1/4 corner. Road North, South &
East, Farmer SE of 1/4 cor & also
SW line fence West.

N 0° 02' W

20.60 Chs.

Set N 1/16 bet 1-6 on East side of
road. Road has slight angle here.
Old fences not in line here.

10 —
41.14 Chs.

To town cor. Iron peg 1/2"x24" set here.
Brass cap set 40 feet SW and in line with
town corner and iron peg set 40 feet
NE of corner.

Another town road runs East 1/2 mile here.

NORTH BOUNDARY

West bet sec. 1-36, T31-32N, R9E

S 87° 51' W
Var. 3° 25' E

Run at 58°W Magnetic

11

20.055 Chs.
40.11 "
60.165 "
80.22 "

Enter swamp at once.
Set E 1/16 bet 1-36
Set 1/2 cor bet 1-36 on a small high spot.
Set W 1/16 cor in swamp
Set Sec cor 1-2-35-36, T31-32N, R9E
Country low and badly burned, young aspen
coming through.

West bet 2-35

S 87° 51' W
Var. 3° 25' W

12

20.055 Chs.
40.11 "

Set E 1/16 bet 2-35
To 1/2 cor bet 2-35, New soft maple 8N28W 39.01 lks
Birch 12N46W 14.7 lks.
Birch 10S26E 24.4 lks.

N 87° 50' W
Var. 0° 53' E

19.685 Chs.
39.37 "

Set W 1/16 cor. Hem 12 N 8 E 7.9 lks.
To org sec cor. 2-3-34-35
Org. Sugar 12 N 12 E 12 lks.
Org. Birch 10 S 34 W 21 lks.
New W-Pine stp. 36 S 72 E 46.4 lks.
Still swamp and some nice second growth.

West bet sec 3-34

N 87° 25' W
Var. 0° 50' E

13

0.30 Chs.
19.775 "
39.55 "
59.325 "
79.10 "
65.00 "

Old Hayse Road SW & N
Set E 1/16 cor bet 3-34, Hem 8 S 28 E 20 lks.
Set 1/2 cor bet 3-34, Hem 12 S 74 W 39.09 lks.
Hem 12 N 37 E 16.36 lks.
Set W 1/16 cor bet 3-34
Set cor 3-4-33-34
Leave swamp. W pine stp. 36 S 53 W 103.3 lks.
To set this corner a line was run west to
corner 5-6-31-32, T31-32N, R9E and set on
proportion.
Cor 5-6-31-32, T31-32N, R9E.
Remarked pine stp. 30" N 40 W 45 lks.
Dead Birch 10 S 20 E 55 lks.
Dead Birch 16 S 60 W 60 lks.

14

North Boundary con't.

$\frac{1}{4}$ cor bet 5-32
W Pine stp. 30" N 55 W 74 lks.

Cor 4-5-32-33
No B T. set

$\frac{1}{4}$ cor bet 4-33
W Oak stp. 28 S 65 W 93.48 lks.

15

Resurvey of the Gov't. Subdivision

Because only a few of the corners inside the boundaries were found, a good share were reestablished by Double proportion.

The corners along Highway 64 were placed by using the old Highway survey which was made after Mr. Hutchinson had relocated the section corners. This road is between sections 24-25; 23-26; 22-27, of T31N, R9E.

Entire town burned several times.

16

North bet Sec. 35-36.

N 0° 26' W
Var. 2°30' E

17.812 Chs.
35.625 "
53.437 "
71.25 "

Set S. 1/16 Cor
Set 1/4 cor bet 35-36, No. B. T.
Set N 1/16 cor.
Set cor 25-26-35-36, No B T Marked.
Ground level, rocky, and covered mostly with aspen, some hardwood. Had been badly burned.

17

West bet 25-36

N 88° 55' W
Var 0° 25' E

20.312 Chs.
40.625 "
60.937 "
81.25 "

Set E 1/16 cor.
Set 1/4 cor bet 25-36. Set in small stand of fair sized aspen.
Set W 1/16 cor.
To cor 25-26-35-36
Country badly burned, some small aspen

18

North bet 25-26

N 0° 18' W
Var 2° 40' E

19.59 Chs.
39.18 "
58.77 "
62.00 "
78.37 "

Set S 1/16 bet 25-26
Set 1/4 cor bet 25-26, No B T set here.
Set E 1/16 cor bet 25-26
At south edge of cleared field to West of line.
To sec. cor 23-24-25-26. Iron peg 1/2"x24" in road. Brass cap 30 feet South and in line with corner. Iron peg 30 feet North also in line.
Country has been badly burned and now covered with young aspen.

West bet sec. 24-25

N 85° 05' T

7.50 Obs. Spring south side of road
 20.68 " Set E 1/16 bet 24-25 cedar post 30' N & S
 of corner.
 41.37 " Set 1/4 cor bet 24-25. Brass cap 30' S 1/2"x24"
 Peg at cor and 1/2"x24" peg 30' N on North side
 of road all in line. Clearing on N. side of road.
 62.05 " Set W 1/16 cor bet 24-25, cedar post 30' N & S
 of cor. Fence runs North about 4' E of our
 cor. End of clearing.
 82.74 " To sec. cor 23-24-25-26. Ground not good for
 farming.

North bet sec 23-24.

N 1° 01' W

Var. 1° 45' E

19.62 Obs. Set S 1/16 cor.
 36.60 " To fire lane running a little N. of West.
 39.24 " Set 1/4 cor bet 23-24, Pine stp. 30 N 24 W 23.18 lks.
 58.86 " Set N 1/16 cor bet 23-24. Pine 36 N 25 E 6.8 lks.
 78.48 " Set sec cor 13-14-23-24. Pine stp. 24S40E67.57 lks.
 Country level with very little cover except low
 aspen and brush.

West bet sec 13-24.

N 86° 06' W

Var. 2° 48' W

21.137 Obs. Set E 1/16 cor bet 13-24
 42.275 " Set 1/4 cor bet 13-24. Set on North side of low
 strip of swamp. W. Pine stp. 36 S 43 E 65.05 lks.
 63.412 " Set W 1/16 cor bet 13-24
 84.55 " To cor 13-14-23-24
 Mostly low ground and young aspen.

North bet sec. 14-15

N 1° 01' W

Var. 1° 45' E

9.00 Obs. Old tote road, runs N and S.
 12.00 " open burning
 18.761 " Set S 1/16 cor N side of burning.
 37.523 " Set 1/4 sec cor. Set on SW side of small clearing.
 Old road 300' E. Runs N & S. No B T.
 56.284 " Set N 1/16 cor.
 75.047 " Set sec cor 11-12-13-14. W Pine 32S64W 43 lks.
 W Pine 36N 40W 75.016 lks. Sec cor set in big
 open burning. Badly burned & very little cover
 of value.

23

West bet 12-13

S 89° 23' W
Var. 1° 31' E

20.754 Chs.
27.00 "
41.509 "
62.263 "
83.018 "

Set E 1/16 cor bet 12-13
To Black Brook 50 lks. wide, flowing SE
Set 1/4 cor bet 12-13 on high ground just
south of river.
Set W 1/16 cor bet 12-13.
To see cor 11-12-13-14
Country level and low mostly small aspen.

24

North bet 11-12

N 1° 01' W
Var. 1° 45' E

11.00 Chs.
20.197 "
40.395 "
60.592 "
80.789 "

Cross Black Brook. 30 lks wide flows East.
Set S 1/16 cor.
Set 1/4 cor bet 11-12.
W. Pine stp. 36 N 24 1/2 W 50.3 lks.
Set N 1/16 cor bet 11-12
Set sec cor 1-2-11-12, Elm 14 S 80 E 90 lks.
Mostly high ground covered with aspen most
of which are dead.

25

West bet sec 1-12

S 88° 17' W
Var. 4° 30' E

19.985 Chs.
39.97 "

Following old town road.
Set E 1/16 cor bet 1-12, set cedar post 15 ft.
North of cor. and marked it so.
To old 1/4 cor. No B T. stone with + on it, but
wagon wheels have worn cross off. Brass cap
set 15 feet N. of cor.

S 89° 34' W

20.83 Chs.
41.66 "

Field to the North
Set W 1/16 cor on west end of field.
About 15 acres.
To see cor 1-2-11-12

26

North bet sec 1-2

N 1° 01' W
Var. 1° 45' E

20.175 Chs.
40.38 "
60.555 "
80.005 "

Set S 1/16 bet 1-2
Set 1/4 cor in low ground
Set N 1/16 on S side of burned swamp.
To see cor. 1-2-35-36
Country not so badly burned, here, farmers
living a mile East of here.

27

North bet. sec. 34-35

N 1° 15' W
Var. 300 1/4' E

18.075 Chs.
36.15 "
54.225 "
72.30 "

Set S 1/16 bet 34-35.
Set 1/4 cor bet 34-35. W. Pine stp 18N32W 49 lks.
Set N 1/16 bet 34-35
Set sec cor. 26-27-34-35. set cor on N edge
of swamp grass. No B.T. Stps all badly rotted.
Country badly burned. Covered mostly with very
small aspen.

28

West bet sec 26-35

N 88° 55' W
Var 0° 25' E

20.297 Chs.
40.595 "
44.30 "
60.892 "
65.00 "
81.19 "

Enter swamp at once.

Set E 1/16 bet 26-35. and leave swamp.
Set 1/4 bet 26-35, W Pine stp 24N 88W 46 lks.
Enter North edge of old clearing.
Set W 1/16 cor bet 26-35
Leave clearing about 20 acres. Enter open
burning and swamp.
To sec cor 26-27-34-35.

29

North bet sec 26-27

N 1° 09' W
Var. 20 58' E

20.467 Chs.
40.935 "
61.402 "
74.30 "
81.87 "

Set S 1/16 cor bet 26-27
Set 1/4 cor bet 26-27. Did not set no B.T.
Set N 1/16 cor.
Drainage ditch NE & SW.
To sec cor 22-23-26-27. Iron peg 1/2" x 24".
Brass cap 30 ft. South. Road stop sign. NW 27.2
Brass cap elevation marker NE 80.95 ft.
Country very low and covered with athick
growth of young aspen.

30

West bet sec. 23-26.

N 86° 32' W

20.65 Chs.
41.30 "
61.95 "
82.60 "

Following state highway. 64. Clearing on south side.
Set E 1/16 cor. set cedar post 30 ft N & S
End of clearing about 25 acres.
Set 1/4 cor bet 23-26. Iron peg 1/2" x 24" in road
Brass cap 30 ft. South, iron peg 30' N, all in line.
Set W 1/16 cor cedar post 30 ft. N & S.
To sec cor 22-23-26-27.

All the ground badly burned only young aspen growing.

North bet sec 22-23.

N 20 31' E

Following town road North.

Set S 1/16 cor. cedar post set 20' West of cor short stake 20' E.

To old 1/4 cor used when road was built.

Fence cor W & Stake E. Brass cap 19.2 ft. E. of cor

N 50 45' W

Road was not built on line North of 1/4 cor. cleared field to west.

Set N 1/16 cor 150 ft. west on road on west side of buildings. End of clearing.

Enter cleared field of old homesteader. to the west about 20 acres. Clearing to East about 25 acres.

Enter old swamp badly burned.

To org. sec. cor. 14-15-22-23. Found old stake and reestablished Tam 4N12W 23 lks.

Reestablished Tam stp. S10W 53 lks.

West bet sec 14-23.

N 86° 02' W
Var 20 52' W

Set E 1/16 cor bet 14-23 on east side of small swamp.

Set 1/4 cor bet 14-23, Elm 10862E 74.54 lks.

W pine stp. 30N 28 1/2 E 133.3 lks.

To fire lane and old log landing.

Set W 1/16 cor. North and west of corner of cleared field.

Enter burned spruce and tam. swamp.

To sec cor 14-15-22-23.

North bet sec. 14-15

N 3° 12' E
Var 20 05' W

Enter young growth of spruce

Set S 1/16 cor in swamp

Old R. R. track or fire lane.

Set 1/4 cor. near old 1/4 cor. Old cor set on proportion. No B.T.

Set N 1/16 cor bet 14-15. No B.T.

To org. sec cor 10-11-14-15, org. tam N26W 26 lks.

New tam 5823 1/2 S34.4 lks, New tam 5N51 1/2 W 109.4 lks.

All swamp, edges of which are badly burned.

31

19.625 Chs.

39.25 "

20.12 Chs.

32

35.70 Chs.

40.24 "

33

20.877 Chs.

41.755 "

51.50 "

62.632 "

76.00 "

83.51 "

34

4.00 Chs.

17.17 "

30.00 "

34.34 "

51.51 "

68.68 "

35

West bet sec 11-14

S 89° 29' W
Var 1° 25' E

19.522 Chs.

39.055 "

58.577 "

78.11 "

Set E 1/16 cor on south side of small clearing old tote road runs west to 1/4 cor.
Set 1/4 cor bet 11-14, W pine stp. 24S20W 17.4 lks.
Set W 1/16 cor on east side of large tam and spruce swamp.
To org. sec cor 10-11-14-15.
Country badly burned and mostly young aspen.

North bet sec 10-11

36

N 1° 09' W
Var.

20.282 Chs.

40.565 "

60.847 "

81.13 "

Set S 1/16 bet 10-11 in spruce swamp.
Set 1/4 cor in swamp found old 1/4 cor about a foot away. Tam 7N38W 17.57 lks.
Set N 1/16 cor in swamp.
To org sec cor 2-3-10-11, Old BT Tam 10S10E 4.5 lks.
New Tam stub 18N59E 53.49 lks.
This part of swamp is head waters of Black Brook.

West bet sec 2-11

37

S 89° 39' W
Var. 3° 38' E

19.360 Chs.

38.72 "

58.080 "

60.00 "

77.44 "

Set E 1/16 cor.
Set 1/4 cor bet 2-11, Red Oak 14S 60E 81 lks.
Set W 1/16 cor in tall dead aspen
Enter burned tam swamp.
To org sec cor 2-3-10-11
Most everything burned except young aspen. Older aspen mostly dead.

North bet sec 2-3

38

N 2° 23' W
Var 2° 02' E

20.47 Chs.

40.94 "

61.41 "

81.49 "

Set S 1/16 cor at North edge of tam and spruce and enter tag alders.
Set 1/4 cor bet 2-3, leave tag alders for heavy timber. Hem. Birch and Maple also conifers, No B.T.
Set N 1/16 cor. quite a few balsam overturned here.
To org sec cor 2-3-34-35 T31-32N, R9E.
A fair stand of hardwood and conifers in last 1/2 mile.

39

North bet sec 33-34

N 10° 59' W

Var. -

18.397 Chs.
36.795 "
55.192 "
69.80 "
73.59 "

Set S 1/16 cor bet 33-34
Set 1/4 cor bet 33-34, W pine stp 18N 8W 42.27 lks.
old tote road SW & NE.
Set N 1/16 cor bet 33-34
To trapper creek 20 lks and flows SW
Set sec cor. 27-28-33-34, W pine 28N 27W 59.54 lks.
Very badly burned and covered with young aspen

West bet sec 27-34

40

N 88° 54' W

Var 0° 25' E

20.275 Chs.
40.55 "
60.825 "
70.00 "
81.10 "

Set E 1/16 cor and leave swamp
Set 1/4 cor bet 27-34. W Pine stp 30N 5E 14.24 lks.
on top of a high open hill can see buildings
along 64 to the North.
Set W 1/16 cor.
To Trapper creek. 20 lks wide and flows SW
To sec cor 27-28-33-34.
Country rolling and mostly barren.

North bet sec 27-28.

41

N 2° 01' W

20.187 Chs.
40.375 "
60.562 "
80.75 "

Set S 1/16 cor. No B.T.
Set 1/4 bet 27-28, No B.T. near.
Set N 1/16 cor in open burning
To sec cor 21-22-27-28. Set iron peg 1/2" x 2 1/4"
in road bed. Brass cap 30 ft. South and iron
peg 1/2" x 2 1/4" 30 ft. North all set in line.
Country low and swampy all burned so there is
almost no cover.

West bet sec 22-27.

42

N 89° 42' W

20.525 Chs.
41.0475 "
61.575 "
82.095 "

Following S.T.H. 64
Set E 1/16 cor. cedar post 30 ft. N & S of cor.
Set 1/4 cor. iron peg 1/2" x 2 1/4" in road bed.
Brass cap 30' S and iron peg 30' N all in line.
Buildings and small clearing SE.
Set W 1/16 cor. cedar posts 30 ft N & S
To sec cor 21-22-27-28.

43

19.132 Chs.
38.265 "
48.00 "
57.397 "
76.53 "

North bet sec 21-22

N 0° 01' E

Fire break cut North, about 120' E of cor.
Set S 1/16 cor
Set 1/4 cor bet 21-22 set near cut out fire
break, on West side of it.
Enter burned Tam. swamp.
Set N 1/16 cor. in open burned Tam. swamp
To old sec cor 15-16-21-22. Dorr was to this
cor many years ago. Roots of old Tam. in
position Gov't called for but had been cut
clean for fire break. Found old squared stake
badly rotted.

44

10.00 Chs.
19.922 "
39.845 "
59.767 "
70.00 "
79.69 "

West bet sec 15-22.

S 88° 19' W

Leave burned Tam. sw.
Set E 1/16 bet 15-22.
Set 1/4 cor bet 15-22. No B.T. near cor.
Set W 1/16 cor in open burnings.
Enter tag alders and swamp.
To sec cor 15-16-21-22.
Distances to and from swamp not very accurate
because of very long offsets. Badly burned
country, big Aspen mostly dead or dying.

45

18.962 Chs.
24.00 "
37.925 "
56.887 "
75.85 "

North bet sec. 15-16

N 1° 06' E

Set S 1/16 cor in swamp.
Leave tag alder swamp
Set 1/4 cor. No B.T. near.
Set N 1/16 cor.
Set sec. cor. 9-10-15-16, No B.T. near.
Set cor. on North side of tag alders and
about 250 ft. East of where fire break crosses
small swamp. Cover mostly aspen 5-8 inches and
willow or tag alder.

46

20.597 Chs.
27.00 "
41.195 "
61.792 "
82.39 "

West bet sec. 10-15

N 86° 35' W
Var. 1° E

Set E 1/16 cor bet 10-15.
Old R.R. Grade and fire lane NW & SE
Set 1/4 cor bet 10-15 and leave spruce swamp.
Set W 1/16 cor.
To sec cor 9-10-15-16.
High ground burned badly and covered with
4-7 inch aspen.

47

North bet sec 9-10

N 1° 08' E

19.39 Chs
38.78 "

Set the S 1/16 cor.
Set 1/4 cor. bet 9-10, Elm 16N48W 69.24 lks.
Coming into a good stand of hardwoods left
by fire and man.

58.17 "
77.56 "

Set N 1/16 bet 9-10, Maple 16845W 17. lks
To org. sec. cor. 3-4-9-10,
Org. Hem. stp. N50W 12 lks., also pt. of old
stake. Other B.T. torn out for old skidway.
No New B.T., Country not so badly burned and
some good timber.

48

West bet sec 3-10

N 89° 01' W
Var. 2° 18' E

19.967 Chs.
22.00 "
37.30 "

Set E 1/16 cor.
Leave alder swamp
To old Hayse logging road. Woodsmen axe work
for line crossing just North of our line.

39.935 "

Set 1/4 cor bet 3-10, Found part of old stake
about 3 ft South. Maple 7 N 53 E 37.72 lks.

59.902 "
79.87 "

Set W 1/16 cor. near squared Elm tree.
To sec cor 9-10-3-4

49

North bet 3-4.

N 2° 01' W

21.297 Chs.
42.594 "

Set S 1/16 cor bet 3-4.
Set 1/4 cor. bet 3-4, No B.T. Set on south side
of E & W logging road about 100 ft. E. of fire
break.

63.891 "
75.50 "
84.631 "

Set N 1/16 cor on south edge of spruce swamp.
Leave swamp for aspen growth.
To sec cor 3-4-33-34, T31-32N, R9E.

50

To reestablish corner 9-10-15-16 it was
necessary to run a line west from cor
10-11-14-15 to the range line, corner of
7-12-13-18, T31N, R8-9E. The total true
length on this line was 320.71 chains; the
course being N 86° 24' W. By double pro-
portion the cor. 9-10-15-16 falls 82.39 chs.
West from cor. 10-11-14-15 and 75.85 chs.
North of corner 15-16-21-22.