

STATE FORESTER'S COPY

**RETRACEMENT OF ORIGINAL GOVERNMENT
FIELD WORK OF THE TOWNSHIP BOUNDARIES
OF SECTIONS ONE (1) TO FOURTEEN (14)
INCLUSIVE OF TOWNSHIP 38 NORTH, RANGE
18 EAST, with TRUE BEARINGS AND DISTANCES,
and NEW BEARING TREES AND OBJECTS.**

BY:

D. A. Hintz

Hugh St. Claire

C. W. Borth.

RECORD # 11102
LANGLADE COUNTY SURVEYORS OFFICE
DATE FILED: 5/25/82 **BY:** D. J. WASTY

INDEX

for
T. 32 N. R. 12 E.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

NOTICE.

The True Bearing for each distance appears below the heading for that distance. The Magnetic bearing for each distance can be calculated by taking the True bearing for that particular distance, and in the Northeast and Southwest Quadrants subtract it from the Average Declination of $N 2 - 23 E$. For Magnetic bearings in the Northwest and Southeast quadrants add the True bearing to the Average Declination.

In all cases the vernier for Magnetic courses is set at zero.

EAST TOWNSHIP BOUNDARY.

Starting from the S.E. corner of section 13, T.38 N. R.12 E. Found the point of old scribed stake with section numbers plain. No B.T. definite. Drove iron pipe 1"x 48" into road bed, 18" below surface of road. Set W.C. 50 lks. West. Road North and South, fence East and part of old fence West.

North Bet. Sec. 13 - 18.

Bearing: N 0-02 E.

Follow C.T.H. "E" North.

20.075 Chs. Set S 1/16 Cor. as W.C.
50 lks. West.

40.15 " Set 1/4 cor. by meas. Found scribed Pine stp. N 86 W 65.1 This agrees with fence East and also with fence E & W at N 1/16 cor. Marked new Elm 7 N 50 W 62.1 lks. Set W.C. 50 lks. West.

60.225 " Set N 1/16 cor. as W.C. 50 lks. West. Fence E & W.

80.30 " To Sec. Cor. 7-12-13-18. Set iron pin 1"x 12" for cor. W.C. set 50 lks West. Marked Bluish boulder S 66 E 71.8 Light grey rock at West edge of roadway N 29 W 45.8 lks.

Left C.T.H. "E" at 24.00 chs. and at 28.00 chs. to town road North.

North Bet. Sec. 7 - 12.

Bearing: N 0 - 02 W.

20.05 " Set S 1/16 Cor. with 5/8"x 10" bolt. Nail in Elm tree 12 N 51 E 17.2 lks. End of town road and private road West.

40.10 " Through Aspen to 1/4 cor. Found mound of stone for cor. stake all rotted. No B.T. Set new cor.

60.15 " Through Aspen with some hws. and set N 1/16 cor.

80.20 " To Sec. Cor. 1-6-7-12. Found mound of rocks and rotted point of old stake. B.T. all gone. Marked cross on Grey ledge outcrop S 45 E 67.6 W. Pine 9 N 85 W 66.5

North Bet. Sec. 1 - 6.

Bearing: N 0 - 36 W.

- 20.025 Chs. Through young hws. and set S 1/16 cor.
- 30.00 " Enter recent slashings.
- 40.05 " To orig. 1/4 cor. Did not find stake but found Dorr's old Lind 10 S 45 1/2 E 6 Set cor. and marked new Maple S N 67 W 22.8, Hem. 6 S 28 E 23

Bearing: E 0 - 21 W.

- 28.11 " Set N 1/16 Cor.
- 43.49 " To sec. cor. 1-6-31-36, T. 22-33 N. R. 12-12-E. Maple 10 S 65 W 26.5 lks. Maple 6 N 24 W 35.9 " This last B.T. has scar with two notches and nail.

North Boundary of Township.

Can be found in notes of Township 33 North Range 12 East.

West Township Boundary.

North Bet. Sec. 7 - 12.

Bearing: N 0 - 13 E.

- 21.50: " To mud hole.
- 15.30 " Over mud hole.
- 20.005 " Set S 1/16 cor.
- 24.57 " Small marsh
- 27.30 " Over marsh.
- 37.00 " Enter small round wet marsh.
- 40.01 " To 1/4 cor. No B.T. by Gov't. Cor. very near center of marsh.

Bearing: N 0 - 31 E.

- 4.00 " Leave marsh for old burnings and Aspen.
- 20.11 " Set N 1/16 cor.
- 40.22 " To orig. sec. cor. 1-6-7-12. Found part of scribed stake badly burned. Marks plain on SW orig. Pine. NW & NE orig. Pine stps. there but badly burned, new Pine stp. 20 S 88 E 7.7 lks.

North Det. Sec. 1 - 6.

Bearing: N 0 - 81 E.

1.00 Chs. Cross old logging road
E & W.
19.54 " Found old 1/8 cor. and fence
West.
20.48 " Set S 1/16 cor. The orig.
Gov't. $\frac{1}{8}$ Cor. was in the
pond and a W.C. set on the
South shore but the W.C.
is gone and so the whole
mile of line is set by
measurement. Now the 1/8
cor. that we found was set
we do not know, there is no
Co. survey notes on it.
30.50 " To South shore of Peters
Marsh.
57.00 " Over marsh to high ground
Aspen and young hws.
61.44 " Set N 1/16 cor.
81.24 " To sec. cor. 1-6-31-36, of
T.32-33 N. R.11-12 E. A
description of this cor.
can be found in the notes
of T.33 N. R.11 E.

Retracement of the original subdivision of sections one (1) to fourteen (14) inclusive, of T.32 N. R.12 E. Not including Meander lines, setting brass capped monuments and marking new Bearing trees and Objects.

At the Corner of sections 13-14-23-24, we found an old stake with a mound of stone around it in an old fence cor. and a W. Pine stub SW that had been scribed but rotted off. Remarkd Pine stub 40 S 31 W 64.4

North Bet. Sec. 13 - 14.

Bearing: N 1 - 09 W

19.50	Chs.	Cross old town road NE & SW.
20.057	"	Set S 1/16 cor.
40.115	"	Set $\frac{1}{4}$ cor. by measurement. No. trace of orig. cor.
60.173	"	Set N 1/16 Cor. Just on West side of old road.
62.00	"	Cross old road NE & along S.
80.23	"	To sec. cor. 11-12-13-14. Found stake stg. in mound of stone. Believe the orig. W. Pine stp. here but re- marked is S 40 W 46.8 lks. New W. Pine stp. 14 N 36 E 92.

West Bet. Sec. 12 - 13.

Bearing: S 89 - 05 W.

0.25	"	Leave town road.
19.85	"	Through open burnings and set E 1/16 cor.
39.70	"	Set $\frac{1}{4}$ cor. by measurement. No evidence of any cor. here.
42.00	"	Fence N & S. Fence cor. about 2 chs. North. This old fence cor. shows no evidence of being the $\frac{1}{4}$ cor.
59.55	"	Through old burnings and set W 1/16 cor. by meas.
79.40	"	To sec. cor. 11-12-13-14.

North Bet. Sec. 11 - 12.

Bearing: N 0 - 47 W.

- 20.16 Chs. Through young Aspen and
set S 1/16 cor.
40.32 " To 1/4 cor. Found scribed
stake in mound of stone.
No B.Ts. present.

Bearing: N 0 - 27 E.

- 20.15 " Set N 1/16 cor.
40.30 " To sec. cor. 1-2-11-12.
Found part of old burned
stake and remains of all
orig. B.T. badly rotted and
without marks. This cor.
agrees with Derr's work bet.
sec. 1-2 to the north. New
Hem. 12 N 33 W 47.7 lks.
Maple 16 N 7 E 58.1 lks.

West Bet. Sec. 1 - 12.

Bearing: S 89 - 17 W.

- 20.095 " Set E 1/16 cor. in young
Aspen.
40.19 " To 1/4 cor. No B.T. or stake.
This cor. set from Derr's
old work West of this 1/4 cor.
Found his Pine B.T. at West
1/16 cor. No new B.T.

Bearing: S 89 - 18 W.

- 19.73 " To Derr's old 1/8 cor.
Found his Pine stp. 26
S 28 1/2 W 14 lks. Set new
1/16 cor.
39.46 " To sec. cor. 1-2-11-12.

North Bet. Sec. 1 - 2.

Bearing: N 0 - 21 E.

- 19.83 " Set S 1/16^C cor.
30.90 " Cross Truck road NE & SW.
39.66 " To orig 1/4 cor. Found
scribed stake and stp. of
NW orig. B.T. New Maple 7
N 28 W 43.8 & Maple 7 N 32
E 44.4 lks

North Bet. Sec. 1 - 24 (cont.)

Bearing: N 1 - 28 W.

- 15.00 Cha. Through good stand of young hws. and leave them.
- 20.05 " Set N 1/16 cor. Young hws. from here to sec. cor.
- 44.10 " To Sec. cor. 1-2-35-36, E. 12-23 N. E. 12 E.

West Bet. Sec. 14 - 23.

Bearing: E 89 - 47 W.

- 11.85 * Cross truck road NE & S.
- 20.805 * Set E. 1/16 cor.
- 23.60 * To old logging road SE & very close to the line W.
- 30.50 * Logging road swings NW.
- 36.00 * Enter fair stand of old hws.
- 41.61 * To 1/2 cor. Found old stake and old Hem. mark up that had been chopped out years ago. Bear on Lind NE. Possible remains of SE orig. Sugar, rotten. New Birch 14 S 2 W 21.5 lks. Lind. 12 E 39 E 9.5 lks.

Bearing: E 89 - 53 W.

- 1.50 * Leave hwd. stand.
- 19.22 * Set W 1/16 cor.
- 25.00 * Enter fair stand of hwd. reproduction.
- 38.44 * To orig. sec. cor. 14-15-22-23. Found orig. Hem. 10 S 64 E 39 stg. and orig. Birch stp. S 29 W 24. No stake here. Set new corner and marked new Maple 10 S 44 W 25. lks. Maple 10 E 16 E 32 "

North Bet. Sec. 14 - 15

Bearing: E 0 - 16 E.

- 19.75 * Cross logging road E & W.
- 20.035 * Set S 1/16 cor.
- 33.25 * Cross logging road NE & SW.
- 40.07 * To orig. 1/2 cor. Found stake and remains of SE orig. Birch. New Maple 10 S 44 W 49.8 lks.

North Bet. Sec. 14 - 15 (cont.)

Bearing: N 0 - 10 E.

- 1.30 Chs. Cross logging road E and W.
19.845 * Set N 1/16 cor. on East
side of large pot hole.
- 39.69 * Through open burnings to
orig. sec. cor. 10-11-14-15.
Found scribed stake in
Mound of stone and evidence
of all orig. B.T. Marked
New Maple 14 S 20 E 104.3
Maple 20 N57 E 113.4 lks.

West Bet. Sec. 11 - 14.

Bearing: S 89 - 33 W.

- 8.60 * Cross logging or truck
road E & S.
- 19.125 * To East edge of small clear-
ing and set E 1/16 cor.
- 24.00 * Section line runs through
old frame house.
- 37.50 * Cross old road E & S and
leave clearing? approx. 10 acres
- 38.00 * Enter small swp.
- 39.25 * To orig. $\frac{1}{4}$ cor. Found orig.
Birch SE dead, and point
of old stake. Marked new
Birch 10 S 28 E 17.4 lks.

Bearing: 90 - 00 W.

- 8.75 * Leave swp. for open burnings.
- 19.825 * Set W 1/16 cor.
- 39.65 * To sec. cor. 10-11-14-15.

North Bet. Sec. 10 - 11.

Bearing: N 0 - 59 E.

- 29.095 * Through old burnings with
young huds. and set S 1/16 cor.
- 40.19 * To $\frac{1}{4}$ cor. Found scribed stake
and point of another, but
no B.T. Marked new B.T.
Pine stp. 12 E 15 E 48.7 lks.

North Bet. Sec. 10 - 11 (cont.)

Bearing: N 0 - 43 E.

- 20.066 Chs. Through old burnings with
some reproduction and set
E 1/16 cor.
40.13 " To orig. sec. cor. 2-3-10-11.
Found scribed stake and orig.
NE Birch is windfall and
rotten. Marked new B.T.
E 1/16 N 44 W 30.9 lks.

West Bet. Sec. 2 - 11.

Bearing: S 89 - 43 W.

- 10.28 " Cross truck trail North
and South.
19.405 " Set E 1/16 Cor.
38.81 " To orig. $\frac{1}{4}$ cor. Found stake
down and found orig. NE B.T.
a stub, to be NW. New B.T.
Maple 20 S 66 W 45.

Bearings: S 89 - 22 W.

- 19.415 " Through young hws. and
set W 1/16 cor.
38.83 " Through young hws. to
sec. cor. 2-3-10-11.

North Bet. Sec. 2 - 3.

Bearing: N 2 - 20 W.

- 20.27 " Set S 1/16 cor.
24.15 " Old logging road E & W.
36.10 " Through fair hwd. reproduction
to truck trail E & W.
40.54 " Set $\frac{1}{4}$ cor. by prop. Borr
could not find this $\frac{1}{4}$ cor.
in 1902. Marked new B.T.
Maple 14 N 64 E 13.5 lks.
60.81 " Set E 1/16 cor.
84.37 " To sec. cor. 2-3-34-35,
T. 32-53 N. R. 12 E.

West Bet. Sec. 10 - 15.

Bearing: N 89 - 15 W.

- 19.625 Chs. Through open burnings and
set N 1/16 cor.
39.25 " To 1/2 cor. Found part of
burned stake, no B.T. but
cor. agrees with Dorr's
work of 1880. No new B.T.

Bearing: N 89 - 43 E.

- 14.15 " To East shore of Lawrence
Lake
19.815 " Distance to West 1/16 cor.
which falls in the lake.
29.65 " Over Lawrence Lake to West
shore.
39.65 " To sec. cor. 9-10-15-16.
Found stake down and stps.
of NE-NW- & SW orig. B.T.
no iron marks. W.P.A. has
cleared the N & S sec. line
here for road.

North Bet. Sec. 9 - 10.

Bearing: N 0 - 21 E.

- 19.98 " This 1/2 mile of line cleared
for road. Set S 1/16 cor.
39.96 " To orig. 1/2 cor. Found old
stake, stg. and rotted
remains of orig. B.T. No new
B.T. here.

Bearing: N 0 - 32 E.

- 19.955 " Through open burnings and
set N 1/16 cor. Enter fair
stg. of young hwdn. Cross
old logging road NW & SE.
39.91 " To orig. sec. cor. 3-4-9-10.
Found old stake and rotten
stps of NW & SE orig. B.T.
No new B.T.

West Bet. Sec. 3 - 10.

Bearing: N 89 - 49 W.

19.792 Cha. Set $\frac{1}{16}$ cor.
39.585 " Set $\frac{1}{4}$ cor. by meas. Dorr
set this cor. the same way
in 1890, but we could not
find him reestablished B.T.
New Maple 15 N 87 W 45.2
Hem. 15 S 40 W 36.
Fair stand of old trees
around $\frac{1}{4}$ cor.
60.173 " Set $\frac{1}{16}$ cor.
61.00 " To East shore of Fishers
Lake. High banks all the
way around.
70.20 " To West shore of lake.
79.17 " To sec. cor. 3-4-9-10.

North Bet. Sec. 3 - 4.

Bearing: N 3 - 01 W.

5.00 " Cross logging road NE & SW.
9.00 " Cross logging road NE & SW.
20.00 " Through fair hwd. reproduction
and set S $\frac{1}{16}$ cor.
23.00 " Cross logging road NW & SE.
23.40 Logging road E & W.
40.00 " Set $\frac{1}{4}$ cor by meas. Found
small square stake and
Maple stp as of Gov't. but
not scribed, about 15 lks.
West of cor. by meas. We
Also found old-line blazes
on both sides of our line.
Marked Elm 12 N 40 W 2 lks
with two (2) notches in scar.
Leave hwd reproduction.
60.00 " Set E $\frac{1}{16}$ cor. by meas.
63.78 " Through old burnings to sec.
cor. 3-4-33-34, T32-33 N.
R.12 E.

West Bet. Sec. 9 - 16.

Bearing: N 89 - 53 W.

20.055 " Through open burnings, and
set E $\frac{1}{16}$ cor.
40.11 " To $\frac{1}{4}$ cor. Found stake with
mound of stone around base.
B.T. all gone. No new B.T.

West Bet. Sec. 9 - 16 (cont.)

Bearing: N 89 - 27 W.

- 4.00 Chs. Cross logging road N & S.
19.683 " Through Aspen and young
hws. and set W 1/16 cor.
in old fence cor. and
follow fence West.
37.75 " End of fence West. Open
pasture to the South.
38.50 " To C.T.H. "S" N & S.
39.57 " To sec. cor. 8-9-16-16.
Found 1 1/2" iron pipe for
cor. and old scribed stake
down. Fence West and South.

North Bet. Sec. 8 - 9.

Bearing: N 0 - 13 E.

- 19.99 " Along the West side of
C.T.H. "S" and set S 1/16
cor. in West ditch.
35.00 " To C.T.H. "S" N & S.
39.98 " To 1/2 cor. Found 1 1/2" iron
pipe 50 lks. E & W of cor.
Found 1 1/2" iron pipe and old
wooden stake in road. No B.F.
This cor. evidently set by
meas. but we excepted it as
we found it. W.C. 50 lks. W.

Bearing: N 0-08 E.

- 4.00 " C.T.H. "S" swings to the East.
19.95 " Set N 1/16 cor.
28.00 " C.T.H. "S" NW & SE.
39.90 " To sec. cor. 4-5-8-9. Found
1 1/2" iron pipe for cor. with
iron pipes 50 lks E & W.

West Bet. Sec. 4 - 9.

Bearing: N 89 - 43 E.

- 0.35 " Cross old logging road N & S.
4.00 " Cross logging road NW & SE.
19.925 " Set E 1/16 cor. Found E & W
line that agrees with our
alignment.
33.65 " Through open burnings and
cross truck road N & S.
39.85 " Set 1/2 cor. by meas. Could not
find any evidence of cor.
No B.F.
59.775 " Through open burnings and
set W 1/16 cor.
79.70 " To sec. cor 4-5-8-9.

North Bet. Sec. 4 - 5.

Bearing: N 3 - 38 W.

4.50 Obs. To C.T.H. "S" N & SW.
19.85 " Set $\frac{1}{16}$ cor. on East
side of C.T.H. "S" and
leave road.
25.25 " Enter small swp.
38.00 " Leave swp.
39.00 " To C.T.H. "S" N & SW
39.70 " To $\frac{1}{4}$ cor. Found 1 1/2"
iron pipe 50 lks. E & W
of cor. and found a square
wooden stake for cor. 2'
below road surface. Placed
small stones around stake
in road. Set W.C. 50 lks. W.

Bearing: N 3 - 08 W.

19.79 " Follow road north.
" Set N $\frac{1}{16}$ cor. W.C. 50 lks.
East and West.
43.55 " To sec. cor. 4-5-32-33,
T.32-33 N. R.12 E.

West Bet. Sec. 8 - 17.

Bearing: S 89 - 43 W.

20.20 " Follow fence west, wires
practically all down.
" Through poor second growth
huds. and set E $\frac{1}{16}$ cor.
39.80 " To fence cor. Good fence
North and South.
40.40 " To orig. $\frac{1}{4}$ cor. Found old
scribed stake, down, and
remains of reestablished
Birch 20 N 11 W 26.75 by
Hutchinson. No new B.T.

Bearing. N 89 - 11 W.

18.60 " Old logging road N 23 E E.
20.00 " To old fence cor. and set
W $\frac{1}{16}$ cor.
40.00 " Through open pasture to
town road E & S and sec.
cor. 7-8-17-18. Found
bluish boulder with very
pointed top and cross on
it. Set W.C. 40 lks. East.

West Bet. Sec. 7 - 18.

Bearing: N 89 - 34 W.

5.00 Chs. Through clearing to ridge
of trees and steep hill.
7.00 " Top of hill and more clearing.
14.00 " Leave clearing.
20.415 " Set N 1/16 cor.
24.00 " Logging road E & W.
28.00 " Logging road SW.
37.00 " To town road West to John
Emmers farm.
40.83 " To $\frac{1}{2}$ cor. Found old gate
post in road that natives
confirm as true cor. Fences
North and South. W.C.
50 lks. North.

Bearing: N 88 - 46 W.

2.60 " End of town road and private
road North.
12.70 " Along fence to end of clearing.
20.70 " Through young hws. and
set W 1/16 cor.
39.00 " To good stand of old Hem.
on North side of line.
46.99 " To sec. cor. 7-12-13-18,
T.32 N. R.11-12 E.

North Bet. Sec. 7 - 8.

Bearing: N 0 - 22 W.

20.135 " Set S 1/16 cor. as W.C.
50 lks West, about the
middle of South side of
sand hill.
40.27 " To orig. $\frac{1}{2}$ cor. Found re-
established Birch 12 S 35 $\frac{1}{2}$
E 30 by Hutchinson in 1900
and his Hem. 12 S 85 W 47 $\frac{1}{2}$
marked in 1917. No new B.T.

Bearing: N 0 - 48 W

4.00 " Leave town road, swings NW.
14.00 " To town road North.
20.045 " Set E 1/16 cor. as W.C. 50
lks East and West.
40.09 " To sec. cor. 5-6-7-8. Could
not find any cor. so set it
at Hutchinsons meas. as of
1918. $\frac{1}{2}$ "x24" iron pipe for
cor. Set W.C. 50 lks. East.

West Bet. Sec. 9 - 8.

Bearing: N 89 - 18 W.

- 1.00 Chm. To C.T.H. "S", N & S.
20.245 " Through open burnings
and set E 1/16 Cor.
Found old 1/8 cor. but
it is too far North.
40.49 " To orig. $\frac{1}{2}$ cor. Found
part of old burned stake
and roots of orig. B.T.
No new B.T.

Bearing: N 89 - 39 W.

- 2.00 " Old logging road NW & SE.
20.345 " Through open burnings and
set W 1/16 cor. Found old
1/8 cor. here which agrees
with our work.
37.70 " Old logging road SE & NW.
40.69 " To town road N & S and sec.
cor. 5-6-7-8.

West Bet. Sec. 6 - 7.

Bearing: N 89 - 08 W.

- 20.515 " Along fence and set E 1/16
corner.
41.03 " Along fence which is North
of sec. line and set $\frac{1}{2}$ cor.
by meas. Fence turns North.
Could not find any trace of
the old cor. or reestablished
bearing trees.
61.545 " Through open burnings and
set W 1/16 cor.
87.475 " To sec. cor. 1-6-7-12,
T.32 N. R.11-12 E.

North Bet. Secs. 5-6.

Bearing: N 2 - 26 W.

- 19.80 Cha. Set S 1/16 cor. at West
edge of old road N & S.
39.60 " Set 1/4 cor. by meas. This
1/4 cor. set by meas. by
Hutchinson years ago.
Found his old Pine stp.
B.T. S 88 W 180.5 lks.
to agree with our work.
55.00 " Leave old road which bears
Northeast.
59.40 " Set N 1/16 cor. by meas.
82.46 " Through open burnings with
young Aspen to sec. cor.
5-6-31-32, T. 32-33 N. R. 18 E.

West Bet. Secs. 13 - 24.

Bearing: S 88 - 41 W.

- 5.40 " Enter small Tan. swp.
9.90 " Leave swp.
11.65 " Cross old mail route N & S.
18.94 " Set E 1/16 cor.
37.88 " To orig. 1/4 cor. Found orig.
Birch 24 S 83 W 8 lks. New
Maple 12 N 45 W 56.5 lks.

Bearing: S 89-24 W.

- 19.88 " Set W 1/16 cor. about
115 lks. North of E & W
fence.
39.76 " Through Aspen stand to
sec. cor. 13-14-23-24.
Notes on page one (1).