

STATE FORESTER'S COPY

INDEX

for

T.33 N. R.12 E.

~~23 23 22 22~~
~~7 22 16 16 11 12~~
~~21 21 21 21~~
~~18 17 16 14 15 12 10~~
~~20 20 20 20 15 15 13 12 10 10 7 7~~
~~19 19 19 18 15 19 12 12 9 9 6 6~~
~~18 18 14 14 11 11 8 8 6 6 5 5~~
~~10 17 17 17 13 13 11 11 8 8 5 5~~
~~31 17 32 19 33 10 34 8 35 5 36 1~~
~~4 4 4 4 3 3 3 3 2 2 2~~

RECORD # 11103
LANGLADE COUNTY SURVEYORS OFFICE
DATE FILED: *5/25/00* BY: *D. T. USTY*

Notice.

The True Bearing for each distance appears below the heading for that distance. The Magnetic bearing for each distance can be calculated by taking the true bearing for that particular distance, and in the Northeast and Southwest quadrants subtract it from the Average Declination of N2-25E. For Magnetic Bearings in the Northwest and Southeast quadrants add the True Bearing to the Average Declination.

In all cases the vernier for Magnetic courses is set at zero.

EAST TOWNSHIP BOUNDARY

Starting from the SE. corner of section 36, T.35 N. R.12 E. This cor. found by using Dorr's old field notes for the South side of section 36 and the East side of section 1 T.32 N. R.12 E.

North Bet. Sec. 26-31

Bearing: N 0 - 43 E

- 20.00 Chs. Set S 1/16 cor.
- 40.00 " Set 1/4 cor. Did not find old cor. Several blazed lines N18-E4W. Cor. by prop. Maple 6 S 52 1/2 W 38.2 lks.
- 60.00 " Set N 1/16 cor.
- 80.00 " To Orig. sec. cor. 25-30-31-36. Stake gone but orig. Birch 12 N 55 W 12 (dead stub) Set new cor. but no B. T. near The East side of this line is all virgin Hwds. The West side is old slashing.

North Bet. Sec. 25-30

Bearing: N 0 - 21 E.

- 20.02 " Set S 1/16 cor.
- 40.045 " Set 1/4 cor. on prop. Found old Birch stub with axe work on it but no Cor. No B.T. here.
- 60.065 " Set N 1/16 Cor.
- 80.09 " To orig. sec. cor. 19-24-25 & 30. Old stake down. Orig. Birch 12 N 18 E 40 (green) Hem. stp. S 41 E 22 This mile of line through slashing and old burnings.

North Bet. Sec. 19 - 24.

Bearing: N 0 - 09 E

- 18.10 " Through recent slashing to sleigh road, runs E & W.
- 19.955 " Set S 1/16 cor.
- 33.85 " Leave slashing for old burning.
- 39.91 " To 1/4 Cor. Found stake and Cedar B.T. by unknown surveyor Cedar stp. 7 S 32 W 12.2 lks.
" " 8 N 37 E 22.7 "

Bearing: N 0 (1) E

North Bet. Sec. 19 - 24 (cont.)

Bearing: N 0 - 45 E.

- 16.60 Chs. Enter Cedar Swp.
19.97 " Set N 1/16 cor. in Swp.
Small spring NW.
30.00 " To S bank of Hanson Creek
Flows NE.
30.30 " Over creek and enter Tag
Alder.
34.85 " To S bank of Wolf River.
Flows E.
38.35 " Over Wolf River.
39.94 " To orig. Sec. Cor. 13-18-19-24.
Could not find old Cor. but
did find stp. of orig. Pine 26
North 225 lks. Set new Cor.
Old scribed Cedar Stp. 14
N 3 W 220.5 lks.

SOUTH BOUNDARY of TOWNSHIP.

West Bet. Sec. 36 - 1.

Bearing: S 89-13 W.

- 20.06 Chs. Set E 1/16 Cor.
40.12 " To orig. $\frac{1}{4}$ Cor. Found this
cor. by using Dorr's old work
for the North side of sec. 1
T. 32 N. R. 12 E. Found his old
Hem. 10 S 54 $\frac{1}{2}$ W 22 $\frac{1}{2}$ and the
Sugar S S 3 W 20 to be rotten
stps. New: Maple 17 S 32 W 62.3
lks. Boulder 4'x4' N 40 W 13.3

Bearing S 89 - 43 W

- 20.035 " Set W 1/16 Cor. and found it
agrees with Dorr's old Cor.
36.00 " Cross truck trail N & S.
40.07 " To orig. sec. Cor. 1-2-35-36.
Orig. Elm 10 S 42 E 24 stg.
New Maple 12 N 65 W 72 lks.

West Bet. Sec. 35 - 2.

Bearing: N 89 - 49 W.

- 20.04 " Set E 1/16 Cor.
40.08 " To orig. $\frac{1}{4}$ cor. Orig. Maple
12 S 7 W 12 rotted stub.
Found roots of NE maple and
scribed stake. New Maple 12
N 48 E 27.7 lks.

West Bet. Sec. 35 - 2. (cont.)

Bearing: S 89 - 41 W.

20.035 Chs. Set W 1/16 Cor.
39.40 " Cross old logging road N & S.
40.07 " To orig. sec. Cor. 2-3-34-35.
Found old stake and B.T. by
unknown surveyor, Sugar stp.
20 N 80 W 33.4 lks. New:
Elm 12 N 45 E 56.2 lks.

West Bet. Sec. 34 - 3.

Bearings: S 89 - 46 W.

20.025 " Set E 1/16 Cor.
40.05 " To orig. $\frac{1}{2}$ Cor. Found stake
and rotten stps. of orig. B.T.
Birch 22 S 1 E 6
Birch 18 N 10 W 28
New: Hem. 12 S 70 E 36.5 lks.

Bearings: S 89 - 58 W.

15.00 " Cross old logging road. N & S.
20.05 " Set W 1/16 Cor.
40.10 " To orig. Sec. Cor. 3-4-33-34.
Found car axle and gear for
cor. Orig. Birch 18 N 55 E 83
is dead stub. New
Elm 10 N 49 E 65.6 lks.

West Bet. Sec. 33 - 4.

Bearing: 90 - 00 W.

5.00 " Cross old R.R. grade N & S.
and follow fence line.
20.01 " Set E 1/16 Cor. in fence line.
40.02 " To old $\frac{1}{2}$ Cor. with B.T. by
Anderson, a lumber Co. cruiser.
New B.T. Maple 16 S 45 W 39.8
Maple 14 N 30 W 56.6 lks.

Bearing: S 89 - 57 W.

20.05 " Set W 1/16 Cor. in fence line.
39.60 " End of fence and C.T.H. "S".
40.10 " To orig. sec. Cor. 4-5-32-33.
Found old wooden stake in road.
Iron pipe W.C. 50 lks. E & W.
Large flat bluish grey rock
S 58 W 50.7 lks. Set W.C.
50 lks. West.

West Bet. Sec. 32 - 5.

Bearings: N 89 - 58 W.

- 0.50 Chs. Leave C.T.H. "S".
20.01 " Through old burnings and
set E 1/16 Cor.
40.02 " Could not find anything of
the old $\frac{1}{2}$ Cor. and set it on
prop. Dead Birch stub. 18
N 13 W 68.4 lks. and grey
stone 12x18x7 N 50 E 24.2 lks.
60.03 " Set W 1/16 Cor.
63.75 " Cross old R.K. grade now used
for truck trail.
80.04 " To orig. sec. Cor. 5-6-35-36.
Found orig. Hem. 10 S 70 W 35
a stp. but shows marks, and
roots of Hem. 18 N 51 E 20.
Fence cor. about 30 lks. NE
of true cor. New W. Pine stp.
20 S 82 W 53.7 lks.

West Bet. Sec. 31 - 6.

Bearings: S 89 - 59 W.

- 15.00 " Follow fence West.
19.00 " Enter small Tam. Swp.
19.975 " Leave swp.
19.975 " Set E 1/16 Cor. and end of
fence, turns North.
39.95 " Through old burnings to orig.
 $\frac{1}{2}$ cor. Found roots of orig.
Maple 12 N 43 W 44 and
Hem. 10 S 64 E 48. New W. Pine
stp. 15 N 87 W. 98.8 lks. &
Maple 14 S 16 E 79.9 lks.

Bearing: 90 - 00 W

- 19.955 " Set W 1/16 cor. and found it
agrees with the old cor.
42.41 " To orig. Township cor. of
T. 32 - 33 N. R. 11 - 12 E.
This cor. already set with Brass
cap and notes can be found in
notes for boundary of T. 33 N.
R. 11 E.

Retracement of the original subdivision of T.33 N. R.12 E. not including Meander Lines, setting brass capped monuments and marking new bearing trees and objects.

North Bet. Sec. 35 - 36.

Bearing: N 0 - 23 W.

- 20.047 Chs. Set S 1/16 Cor.
32.00 " Cross old logging road.
40.095 " Set 1/2 cor. on prop. at about the center of large pot hole. Found an old fallen tree with axe marks on it but no evidence of a corner.
60.142 2 Set N 1/16 Cor. Found a few trees here with N & S line very close to our corrected line.
80.19 " To orig. sec. cor. 25-26-35-36. Found stake stg. and orig. Maple 12 N 40 W 35 still green. Hew, ? Lind 8 S 17 E 15.4 lks. Maple 12 N 20 E 8.8 lks.

West Bet. Sec. 25 - 36.

Bearing: N 89 - 22 W.

- 11.50 " Cross old logging road. N & S.
20.56 " Set E 1/16 Cor. Large Birch tree here marked for cor.
31.60 " Leave Hwds. for Cedar swp.
41.12 " To orig. 1/2 cor. Both orig. B.T. Hem 8 S 3 E 10 and Cedar 10 N 60 W 20 still good.

Bearing: S 88 - 53 W.

- 6.50 " Leave Cedar swp. for young Hwds
20.265 " Set W 1/16 cor.
40.53 " To orig. Sec. cor. 25-26-35-36.

North Bet. Sec. 25 - 26.

Bearing: N 1 - 45 E.

- 19.995 " Set S 1/16 cor.
39.99 " To orig. 1/2 cor. Found old stake on North side of hill and rotten remains of orig. B.T. No new B.T. This 1/2 mile very rough. This cor. is on the North side of last hill on entering the flats of the Wolf River.

North Bet. Sec. 25 -26, (cont.)

Bearing: N 1 - 37 E.

1.00 Cha. Cross small creek 10 lks.
wide. Flows East.
15.50 " Enter burnt swp.
19.53 " Set N 1/16 cor. This agrees
with an old cor. we found here.
39.66 " To cor. of sec. 23-24-25-26. <
Found scribed stake and old
Cedar S N 69 E 31.4 lks.
New Cedar 6 S 18 E 29.2 lks.

West Bet. Sec. 24 - 25.

Bearing: S89 - 17 W.

6.30 " Enter Spruce swp.
10.50 " Spring, headwaters of Hanson
creek.
11.15 " Over spring.
19.935 " Set E 1/16 cor. Leave swp.
39.87 " To orig. $\frac{1}{4}$ Cor. found stake &
stg. of orig. Maple S 64 E 20
No new B.T.

Bearing: S 89 - 14 W.

2.00 " Enter swp.
5.60 " To East side of Beaver flowage
7.50 " Over Beaver flowage.
16.00 " Springs, headwaters of Squaw
creek.
16.45 " Over springs.
19.92 " Set W 1/16 Cor. in burnt swp.
26.00 " Leave burnt swp for young
cherry.
35.00 " Enter old Cedar stand.
39.84 " To Sec. Cor. 23-24-25-26.

North Bet. Sec. 23 - 24.

Bearing: N 3 - 52 W.

20.11 " Set S 1/16 Cor. In swp.
32.50 " To South Bank of Wolf River.
35.70 " Over Wolf River, flows East.
40.22 " To $\frac{1}{4}$ cor. found plain stake
B.T. NW & NE, faced but not
marked. New Cedar S N 33 W
52.1 lks.

North Bet. Sec. 23 -24-(cont.)

Bearing: N 3 - 47 W.

- 20.09 Chs. Through Cedar swp. and
set N 1/16 Cor.
40.18 " To Orig. Sec. Cor. 13-14-23-24.
Found scribed stake under
corduroy of old swp. road.
Found both orig. stps. but
marks gone. Refaced NE orig.
Stp. N 52 E 20 and new
Cedar stp. S N 15 W 17.9 lks.

West Bet. Sec. 13-24.

Bearing: S 89 - 44 W

- 13.50 " Across hay marsh to bank off
Wolf River, flows SE.
23.50 " To South shore of Wolf River.
38.00 " To Wolf River Flows NE.
44.15 " Over wolf River.
44.33 " To orig. $\frac{1}{4}$ Cor. 13 -24.
Found plain stake and roots
of orig. B.T. New Cedar S
N 15 E 53.6 lks. and
Elm S S 60 W 32.6 lks.
Did not set E 1/16 Cor. as
it would fall in the river.

Bearing: S 89 - 19 W.

- 3.00 " Leave river bottom for low
to swp. land.
20.72 " Set W 1/16 Cor.
23.80 " Enter Cedar swp.
41.44 " To Sec. Cor. 13-14-23-24.

North Bet. Sec. 34 - 35.

Bearing: N 1 - 15 W.

- 19.07 " Through fair stand of young
hws. and Set S 1/16 Cor.
19.75 " Cross old logging road E & W.
25.00 " Leave young hws. for Cherry
and Aspen.
38.14 " To $\frac{1}{4}$ Cor. 34 -35. Found stake
and remains of Maple SE. New
B.O. Grey Stone 2 $\frac{1}{2}$ 'x3'S 27 E 2

North Bet. Sec. 34 - 35 (Cont.,)

Bearing: N 2 - 01 E.

- 2.30 Chs. Cross old logging road, E & W.
20.165 " Through old burnings and
new Cherry and Aspen and set
N 1/16 Cor.
40.33 " Through old burnings to orig.
sec. cor. 26-27-24-35. Found
old stake and part of orig.
Birch 12 N 25 E 35 also
cruiser marks on dead Hem.
SE. Marked large gray stone
N 45 W 8.3 lks.

West Bet. Sec 26 - 35.

Bearing: N 87 - 22 W.

- 20.065 " Through hilly country and
set E 1/16 Cor.
40.13 " Set 1/4 cor. where we found
the orig. 1/4 cor. Stake stg.
and several trees with cruiser
marks on them. New
Maple 12 N 50 W 51 lks.

Bearing: S 84 - 59 W.

- 19.41 " Set W 1/16 and find the
alignment ok. with old blazed
trees.
38.82 " To sec. cor. 26-27-24-35.
New slashing on North side
of the last 1/4 mile of line.

North Bet. Sec. 26 - 27.

Bearing: N 1 - 30 E.

- 19.985 " Set S 1/16 cor. New slashing
on both sides of the line.
39.10 " Cross logging road SE & NW.
39.97 " To orig. 1/4 cor. Found old
stake with mound of rock at
the base and remains of orig.
Birch stp. 20 N 80 W 30.
New: Grey stone S 14 E 31.2

Bearing: N 0 - 30 E.

- 2.15 " Cross old logging road E & NW.
16.20 " Cross logging road E & SW.
20.20 " Set N 1/16 cor.
40.40 " Through young Aspen & Nwds.
To Sec. Cor. 22-23-26-27.
Found plain stake & roots of
Orig. new Maple 15 N 35 W 28.9
Lind. 14 S 55 W 21.7 (8)

West Bet. Sec. 23 - 26.

Bearing: S 89 - 25 W.

6.00 " Leave swp.
16.00 " Enter Cedar swp. Recent
cutting.
16.75 " Cross small spring creek
5 lks wide flows North.
19.805 " Set E 1/16 Cor. in swp.
37.00 " Leave swp. for high ground.
39.61 " To orig $\frac{1}{4}$ cor. Found stake
and orig. Birch stp. 30
S 5 W 10 New
Elm 10 S 7 E 56.7 lks.

Bearing: S 89 - 44 W.

20.07 " Through young Hwds. and set
W 1/16 Cor.
40.14 " Through young Hwds. to Sec.
Cor. 22-23-26-27.

North Bet. Sec. 22 - 23.

Bearing: N 0 - 03 N.

19.855 " Through young Hwds. and
set S 1/16 Cor.
39.71 " Through same growth with
some Aspen to Orig. $\frac{1}{4}$ Cor.
Roots of SE orig. Set new
cor. but no new B.T.

Bearing: N 0 - 47 W.

9.90 " Cross small spring creek 5
lks. and flows NE.
13.00 " Enter Cedar swp.
19.945 " Set N 1/16 cor. and found
it agrees with old cor.
35.90 " To South bank of Wolf River.
39.30 " To North bank of river
which flows SE.
39.89 " To orig. Sec. Cor. 14-15-22-23.
Found stone with cross on it
and set W.C. 1 lk. South.
New B.T. Cedar S N 87 W 36.6
Ham. 10 S 70 E 56.9 lks.

West Bet. Sec. 14 - 23.

Bearing: S 88 - 41 W.

- 5.00 Chs. Leave swp. Still low ground.
18.225 " Set N 1/16 Cor. in NE cor. of small clearing. This cor. agrees with Hutchinson's Old cor.
23.00 " Leave clearing.
36.45 " To end of town road from West and found 1" steel axle for $\frac{1}{2}$ cor. in road. Set brass cap beside the axle. B.T.
W. Pine stp. 40 N 72 W 74.5
Maple stp. 14 N 75 E 54.1

Bearing: S 89 - 17 W.

- 19.195 " To W 1/16 cor. set as W.C. one rod South of cor.
24.80 " To North bank of Wolf River as it turns Southeast.
34.75 " Leave Town road which bears NW.
38.39 " To Sec. Cor. 14-15-22-23.

North Bet. Sec. 33 - 34.

Bearing: N 1 - 21 W.

- 10.00 " Cross Old R.R. grade bearing NE & SW, & follow fence North
20.435 " Set S 1/16 cor. in fence line
40.87 " To orig. $\frac{1}{2}$ cor. Found orig. Elm 15 stp. S 50 W 6 Fence cor. is $\frac{1}{2}$ cor. Marked a grey stone S 60 E 36.7 lks.

Bearings: N 0 - 34 W.

- 20.45 " Set N 1/16 cor.
22.80 " Cross old R.R. grade, NW & SE. about the center of old landing.
40.90 " To orig. Sec. Cor; 27-28-33-34 Found stone with cross as recorded and set W.C. 1 lk. South. Marked W. Pine stp. 36 N 30 E 40.1 and a large grey rock N 28 W 42.4 lks.

West Bet. Sec. 27 - 34.

Bearing: N 87 - 42 W.

- 20.58 Chs. Through young Hwds. and set
E 1/16 cor.
41.16 " To $\frac{1}{4}$ cor. Found plain stake
stg. but no B.T. Believe
this cor. set on prop. as
distances and bearings are
almost the same. Set cor.
where we found stake.

Bearing: N 87 - 53 W.

- 20.56 " Set W 1/16 Cor.
41.12 " To orig. sec. cor. 27-28-
33-34.

North Bet. Sec. 27 - 28.

Bearing: N 0 - 41 E.

- 20.38 " To abandon town road from
West and turning North
along sec. line, and set
S 1/16 cor. Fair stand of
young Hwds. on East side of
line.
32.00 " Leave fair stand of Hwds.
for Aspen and Cherry.
40.76 " To orig. $\frac{1}{4}$ cor. Found stone
with cross for cor. and
orig. Sugar S 70 E 20 old
Hem. stp. S 71 W 56 &
Hem. stp. N 41 E 43 Set W.C.
2 lks South. Marked new
Maple 12 N 28 E 74.5 lks.

Bearing: N 4 - 30 E.

- 19.00 " Cross truck trail NW & SE.
19.215 " Set N 1/16 cor.
38.63 " To orig. sec. cor. 21-22-27-28
Found scribed stake, well
point, and stone with cross,
for corner. Orig. B.T. gone
and so are B.T. by Co. surveyor
Marked Grey stone N 64 E 34
Bulish stone S 38 W 23.1 lks.
Also set brass cap.

West Bet. Sec. 22 - 27.

Bearing: S 89 - 32 W.

19.975 Obs. Set E 1/16 Cor.
20.90 " Enter small Tam. swp.
23.60 " Leave Tam. swp.
39.95 " To orig. $\frac{1}{4}$ Cor. Found
well point and stone
with cross on it. Set
new corner.

Bearing: N 86 - 33 W.

20.095 " Set W 1/16 cor.
29.00 " Clearing South of line.
38.00 " End of clearing.
40.19 " To Sec. Cor. 21-22-27&28.

North Bet. Sec. 21 - 22.

Bearing: N 0 - 10 E.

20.115 " Through old burnings
with some Aspen and
set S 1/16 Cor.
40.23 " To orig. $\frac{1}{4}$ cor. Found stake
and remains of orig. Birch
20 N 75 E 20. Marked grey
stone S 65 E 81 lks.

Bearing: N 0 - 22 W.

20.315 " To open swp. and set
N 1/16 Cor.
23.60 " Across swp.
40.63 " To orig. Sec. Cor. 15-16-
21-22. Found stone for cor.
Orig. Birch stp. N 50 E 55
Sugar stp. N 85 W 20.
Marked stone SW 36.2 lks.
and Large grey stone NW 39.8

West Bet. Sec. 15 - 22.

Bearing: N 87 - 45 W.

0.45 " East bank of Wolf River.
3.60 " To West bank of Wolf River
flowing SE.
12.40 " Cross logging road SE & NW.
13.00 " Enter old Cedar swp. Most
all dead.
19.93 " Set E 1/16 cor. in swp.
26.80 " Cross small spring creek
flowing North.
32.00 " Leave swp.
39.86 " To $\frac{1}{4}$ cor. set on prop. by Co. Surveyor (12)

West Bet. Sec. 15 - 22 (cont.)

Bearing: N 87 - 45 W.

Found his stake and stps.
Of his Sugar N 71 E 9 &
Sugar 12 N 38½ W 24.

Bearing: N 87 - 38 W.

19.90 " Set W 1/16 Cor.
39.80 " To sec. cor. 15-16-21-22.

North Bet. Sec. 32 - 33.

Bearing: N 1 - 05 W.

19.09 " North on C.T.H. "S"
Set S 1/16 cor. as W.C.
50 lks W. Fence post 36.9 E.
38.18 " To ¼ Cor. Found iron pipe
50 lks E & W of Cor. a
wooden stake in the road
for cor. Set W.C. 50 lks W.

Bearing: N 0 - 48 E.

20.195 " Along C.T.H. "S" and set
N 1/16 cor. W.C. 50 lks. E
and fence cor. post 39 lks. W.
40.39 " Along C.T.H. "S" to sec. cor.
28-29-32-33. Found bluish grey
stone with cross on top in ¼
of road and North edge of old
R.R. grade. B.T. all gone.
Set W.C. 50 lks. E and marked
stone N 73 W 46.4 lks.
stone N 46 E 74.3 "

West Bet. Sec. 28 - 33.

Bearing: S 87 - 30 W.

19.005 " To old R.R. grade NW & SE.
19.755 " Set E 1/16 cor.
39.51 " To ¼ cor. Old stake and
crusiers mark up. New B.T.
Maple 12 S 22 W 18.6 lks.
Maple 7 N 87 E 53.1 "

Bearing: S 87 - 46 W.

19.75 " Set W 1/16 Cor.
39.50 " To Sec. Cor. 28-29-32-33.

North Bet. Sec. 28 - 29.

Bearing: N 0 - 21 E.

- 20.335 Chs. Along C.T.H. "S" to S 1/16
Cor. A stone with Cross on
top. C.T.H. "S" swings West,
and old town road runs E.
23.00 " Over School yard.
40.67 " To orig $\frac{1}{2}$ cor. Found stone
for cor. but it was loose
so re-set it with brass cap.
Found old Hem. SW down and
Maple stp. ~~NE~~ NE. Marked new
Maple 14 N 55 W 35.9 lks.

Bearing: N 1 - 03 E.

- 10.50 " To old R.R. grade NW & SE.
14.00 " Enter small Tam. swp.
18.00 " Leave swp.
20.33 " Set N 1/16 Cor. on South
edge of old Tam. swp.
33.00 " Leave Tam. Swp.
38.00 " To old logging road still
used for truck trail.
40.66 " To orig. sec. cor. 20-21-
28-29, set with stone.
Found reestablished Maple
S 75 E 34 down. Set W.C.
2 lks. South and marked
Maple 10 N 8 W ?

West Bet. Sec. 21 - 28

Bearing: S 87 - 34 W.

- 18.00 " Enter open swp.
20.305 " Set E 1/16 cor. and found
ok. with old cor.
21.50 " Leave swp.
40.61 " to orig $\frac{1}{2}$ cor. Found
stone with cross on top
and old Birch 22 N 67 W 32 $\frac{1}{2}$
Set W.C. 2 lks East. New
Maple 8 N 45 E 41.5 lks.

West Bet. Sec. 21 - 28 (cont.)

Bearing: N 89 - 38 W.

11.30 Obs. To logging road NW & SW.
20.445 " Set W 1/16 cor. at North
" end of Spruce swp.
21.000 " To logging road SW & NE.
40.89 " To Sec. Cor. 20-21-28-29.

North Bet. Sec. 20 - 21.

Bearing: N 0 - 34 W.

8.00 " Through fair stand of Hwds.
" and leave them for Aspen.
20.93 " Set S 1/16 cor.
28.45 " To center of relocation of
" C.T.H. "A", NE & SW.
30.00 " Enter fair stand of Hwds.
41.86 " To orig. $\frac{1}{2}$ cor. Found
" remains of Pine N 45 W 50
" New Pine stp. 24 S 33 E 395

Bearing: N 0 - 09 E.

3.15 " Cross old C.T.H. "A" E & W.
" and leave fair stand of Hwds.
20.25 " Set N 1/16 Cor.
32.15 " Enter small open swp.
35.90 " Leave swp.
40.50 " To Sec. Cor. 16-17-20-21.
" Stone with cross on top set
" by unknown surveyor also his
" Birch stp. N 44 E 27
" Birch stp. S 46 W 22.
" Set W.C. 2 lks South.

West Bet. Sec. 16 - 21.

Bearing: N 89 - 46 W.

20.485 " Set S. 1/16 Cor.
40.97 " To stone $\frac{1}{2}$ cor. No B.T.
" all gone but stone.
" Set W.C. 2 lks. East.

Bearing: N 89 - 43 W.

14.40 " Enter small open marsh.
20.00 " To C.T.H. "A" and leave swp.
20.375 " Set W 1/16 cor. West of road.
40.75 " To Sec. Cor. 16-17-20-21.

North Bet. Sec. 16 - 17.

Bearing: N 0 - 28 E.

- 1.50 Chs. Enter open dead Tam. swp.
16.50 " Leave open swp.
20.057 " Set S 1/16 cor. on top of
hill at North end of swp.
23.00 " Enter small B. Ash swp.
25.85 " Leave swp.
40.115 " Set 1/2 cor. by measurement
Found old crusiers mark up
but could not find anything
of cor.
60.172 " Set N 1/16 cor. Found old
Birch tree scribed 1/2 off
but found no stake and had
no record of it.
80.23 " Torig. cor. sec. 8-9-16-17.
Found stone with cross on
set from orig. B.T. Found
reestablished Mem. stp. S 72
W 25; Mem. stp. S 9 W 30 and
Birch N 37 1/2 W 26. Marked
Grey stone 5'x3' N 47 E 18.3
Grey stone 4'x4' S 38 W 49.1
Set W.C. 2 lks South.

North Bet. Sec. 8 - 9.

Bearing: N 1 - 33 W.

- 10.00 " Through old burnings and
enter Aspen with some conifers
19.255 " Set S 1/16 cor.
26.50 " Enter river bottom.
28.50 " To Gilkey Creek 15 lks.
wide flows NE.
35.01 " Set W.C. to orig. 1/2 cor.
36.50 " To South bank of Wolf river.
38.51 " To 1/2 cor. in river. Found
Hutchinson's W. Pine stp. 30
S 39 W 300 lks. and both
orig. B.T. but marks all gone.

Bearing: N 0 - 09 W.

- 0.30 " North bank of Wolf River.
7.20 " Over flowage to high ground.
19.14 " Set N 1/16 cor. on south edge
of Spruce swp.
30.30 " Leave swp.
38.28 " To center of C.T.H. " T" and
sec. cor. 4-5-8-9. Stone with
cross on top. No B.T. Set W.C.
50 lks. south.

North Bet. Sec. 31 - 32

Bearing: N 0 - 57 E.

- 19.345 Chs. Through old burnings and
set S 1/16 cor. Very near
fence cor. Have followed
fence from Sec. Cor.
38.69 " To orig $\frac{1}{2}$ cor. Found stake
and facing of orig. B.T.
Marked new stone N 22 $\frac{1}{2}$
69.5 lks.

Bearing: N 1 - 19 E.

- 20.11 " Set N 1/16 Cor.
40.22 " To orig. Sec. Cor. 29-30-31-32.
Found stake and orig. Birch
stp. N 46 E 30. Marked new
Hem. 9 S 21 E 12.6
Hem. 10 N 27 W 37.3 lks.

West Bet. Sec. 29 - 32.

Bearing: N 89 - 53 W.

- 0.50 " Leave C.T.H. "S"
19.905 " Set E 1/16 Cor.
39.81 " Through fields to orig.
 $\frac{1}{2}$ cor. Stone with cross on
top. Fence N-S-E.

Bearing: N 89 - 32 W.

- 18.00 " Enter Spruce swp.
19.94 " Set W 1/16 cor. in swp.
Agrees with old stake.
24.50 " Leave swp.
39.88 " To sec. cor. 29-30-31-32.

West Bet. Sec. 30 - 31.

Bearing: N 88 - 24 W.

- 19.00 " Cross logging road N & S.
20.055 " Set E 1/16 Cor. which agrees
with old cor.
40.11 " To orig. $\frac{1}{2}$ cor. Found
rotten stps. of orig. B.T.
and stake. Unrecorded Hem.
10 S S W 9.3 lks. New B.O.
Stone N 1 E 8 lks.

West Bet. Sec. 30 - 31 (cont.)

Bearing: N 89 - 12 W.

- 20.235 Chs. Through aspen and set W
1/16 cor. as of Gov't.
proportion.
41.79 " Through young aspen with
some hws. to Orig. Sec.
Cor. 25-30-31-36. Notes
for cor. on record in notes
of T.33 N. R.11 W.

North Bet. Sec. 29 - 30.

Bearing: N 1 - 11 W.

- 0.50 " Enter small Spruce diam.
swp.
4.00 " Leave swp.
13.50 " To C.T.H. "A" NE & SW.
20.22 " Set S 1/16 cor. Relocation
of C.T.H. "A" on the 1/16
line East & West, and
enter Spruce swp.
38.00 " Leave swp.
40.22 " To orig $\frac{1}{2}$ cor. Found 1''
iron pipe for cor. Orig.
Birch NW stg. and marks
plain.

Bearing: N 0 - 02 E.

- 20.45 " Through open burnings
and set N 1/16 cor.
40.90 " To orig. sec. cor. 19-20-
29-30. Found NE orig. stub.
The NW orig. is S 42 W 18 not
N 55 W 8 lks. New B.T. are
Birch 12 S 65 W 47.6
Maple 12 S 48 E 32.2 lks.

West Bet. Sec. 20 - 29.

Bearing: S 89 - 47 W.

- 11.00 " Along South side of fair
stand of hws. to C.T.H. "A"
NE& SW, AND LEAVE hws.
19.945 " Set E 1/16 cor.
23.00 " Cross old H.R. grade. NW & SE
36.00 " Enter small Tam. swp.
39.89 " To orig. $\frac{1}{2}$ cor. Found orig.
Tam. stp. S 62 W 18 Re-est.
Tam. " 14 S 27 E 140 lks.
Tam " 8 S 56 W 44 " face
burned-off. Gas pipe for Cor.

West Bet. Sec. 20 - 29 (cont.)

Bearing: N 89 - 17 W.

- 8.80 Chs. To R.R. grade and leave swp.
R.R. grade NW & SE.
20.77 " Set W 1/16 cor. Low ground.
41.54 " Through Cherry and Aspen
to Sec. cor. 19-20-29-30.

West Bet. Sec. 19 - 30.

Bearing: N 88 - 24 W.

- 10.00 " Through large pot hole to
top of hill. Sec. cor. on
East side of pot hole.
19.66 " Set E 1/16 Cor.
39.32 " Through open burnings to
orig. $\frac{1}{4}$ cor. Found part of
burned stake and orig. stp.
of Birch B.T. Marked new
Grey stone 8'x4' N 6 E 49.

Bearing: S 89 - 34 W.

- 19.93 " Through open burnings and
set W 1/16 cor.
25.60 " Enter burnt Tam. swp.
29.80 " Leave swp.
41.35 " To sec. cor. 19-24-25-30.
Brass cap for cor.

North Bet. Sec. 19 - 20.

Bearing: N 6 - 17 E.

- 6.95 " Through pot hole and cross
old logging road NE & SE.
20.235 " Set S 1/6 cor. and leave
fair stand of hws. to the
West of the line.
25.00 " Cross old R.R. grade, NW & SE
40.47 " To $\frac{1}{4}$ cor. Found plain stake
and old Square up. Line
blazes S & W. B.T. all
gone. Marked Light grey rock
2'x3' N 45 E 16.6 lks.
Maple 6 S 45 W 30.1 lks.

Bearing: N 0 - 32 W.

- 19.775 " Through open burnings and
set N 1/16 Cor.
27.70 " Enter open swp. with pond.
38.50 " Leave swp. for low ground.
39.55 " To sec. cor. 17-18-19-20.
Found part of burned stake
crusiers mark up and line
blazes E-W-& S.

West Bet. Sec. 17 - 20.

Bearing: S 88 - 22 W.

19.292 Chs. Through open burnings and
Set E 1/16 cor.
38.40 " Cross old H.H. grade.
38.585 " Could not find anything of
the $\frac{1}{4}$ cor. and set it by
measurement. No B.T.
57.878 " Set W 1/16 cor. by meas.
65.00 " Enter open swp. with pond.
76.00 " Leave swp. for low ground.
77.17 " To sec. cor. 17-18-19-20.

West Bet. Sec. 18 - 19.

Bearing: N 88 - 55 W.

20.055 " Through open burnings and
set E 1/16 Cor.
26.40 " Cross old H.H. grade, N & S.
40.11 " To orig $\frac{1}{4}$ cor. Found stake
and remains of orig. sugar
SE. Marked new B.T. W. Pine
stp. 40 N 41 W 11.8 lks.

Bearing: N 89 25 W.

21.00 " Through Aspen and Cherry
and set W 1/16 cor.
44.10 " To sec. cor. 13-18-19-24.
on West Range line.

North Bet. Sec. 17 - 18.

Bearing: N 0 - 43 W.

20.062 " Set S 1/16 by meas.
31.75 " Enter open Tam. swp.
38.50 " Leave Swp.
40.125 " Set $\frac{1}{4}$ cor. by meas. X
Found Y. Birch $\frac{1}{4}$ " that
had been squred. but
no other evidence.
60.188 " Set N 1/16 cor. Found
plain stake here but it
gives no position for the
 $\frac{1}{4}$ cor.
80.25 " To orig. sec. cor. 7-8-17-18.
Found stake and remains of
NW Hem. Marked large grey
rock S 82 E 55.8 lks. Large
rock S 80 W 24 lks.

North Est. Sec. 7 - 8.

Bearing: N 0 - 46 E.

- 18.40 Chs. Enter swp.
- 19.50 " Set S 1/16 cor. in swp.
- 27.80 " Leave swp.
- 39.00 " To fence cor. and $\frac{1}{2}$ cor.
Found stake down and stp.
of orig. Birch NE. Marked
Grey stone S 45 W 4.3
Grey " N 70 E 7.3 lks.

Bearing: N 1 - 57 E.

- 20.35 " Set N 1/16 cor. in fence cor.
Fence turns West.
- 27.60 " Enter creek bottom.
- 33.60 " Stevens Creek 15 lks. wide
flows East, and leave creek
bottom.
- 40.70 " To Sec. Cor. 5-6-7-8.
Found iron bolt with triangle
shaped piece of metal on top.
Pine stp. 30 N 16 E 49 $\frac{1}{2}$
from Co. surveyors notes.
Set new cor. and marked
Pine stp. 16 N 70 W 61.8.

West Est. Sec. 5 - 8.

Bearing: N 38 - 09 W.

- 20.84 " Along C.T.H. "T"
To E 1/16 cor. Two iron rods
1" & 1 $\frac{1}{2}$ " in road. Town road
North.
- 38.00 " C.T.H. "T" turns North and
crosses Wolf River.
- 41.68 " To re-est. $\frac{1}{2}$ from orig. by
Hutchinson. 1"x3"x48" iron
bar.

Bearing: S 88 - 37 W.

- 3.00 " To East bank of Wolf river.
- 6.00 " Over Wolf River.
- 12.50 " Cross C. & NE. R.H. track
almost parallel with sec.
line.
- 15.20 " Enter Tam. Swp.
- 16.99 " Set W 1/16 Cor. in swp.
- 23.50 " Leave swp.
- 33.98 " To sec. cor. 5-6-7-8.

41.68
33.98

97.66

West Bet. Sec. 6 - 7 .

Bearing: N 89 - 06 W.

3.15	Cns.	Cross R.R. track SW & NE.
3.60	"	Cross R.R. track of old wye.
5.05	"	Cross another part of old wye.
13.00	"	Enter small open swp.
17.00	"	Leave swp.
20.21	"	Set E 1/16 cor. Town road West and South. Follow road West.
40.42	"	To $\frac{1}{4}$ cor. Did not find this cor. but it had been set on prop. by Co. surveyor at one time. Found the old R.T. stp. but it has been moved. Town road East and North. Set $\frac{1}{4}$ cor. and marked new Pine stp. 20 S 24 W 98 lks.
60.63	"	Iron pipe for cor. set by someone-else.
64.20	"	Enter Cedar swp.
83.48	"	To Sec. cor. 1-6-7-12, on West Range line and leave Cedar swp.