

INDEX

for

T 34 N, R 9- E

	3	3	2	2	1	1						
6	6	35	5	29	4	23	3	19	2	15	1	8
		34		28		23		19		14		
5	7	34	8	28	9	23	10	18	11	14	12	8
		34		33		27		22		18		14
6	18	33	17	27	16	22	15	17	14	13	13	8
		32		26		21		17		13		
4	19	31	26	26	21	21	22	19	23	12	4	7
		31		25		21		16		12		
4	30	30	29	25	28	20	27	16	26	11	25	7
		30		29		24		20		16		11
4	31	29	32	24	33	19	34	15	35	11	36	7
		10		10		10		9		9		9

RECORD # 1104
LANGLADE COUNTY SURVEYORS OFFICE
DATE FILED: 5/25/22 BY: D. TRUSTY

STATE FORESTER'S COPY

RETRACEMENT OF ORIGINAL GOVERNMENT

FIELD WORK OF TOWNSHIP 34 NORTH,

RANGE 9 EAST. BOUNDARIES ONLY

~~Retracement of the East Boundary in
notes of T 34 N, R 10 E.~~

~~Retracement of South Boundary in
notes of T 33 N, R 9 E.~~

By:

T. H. Kilroe

D. A. Hintz

Notes by D. A. Hintz

These field notes are a result of a resurvey of T.34 N. R.9 E., known as the Town of Parrish, Langlade County, State of Wisconsin.

All the random lines were run with a Transit and corrections offset from random. Measurements were made with a 100 foot steel tape, true lengths being computed and changed to chains and decimals thereof.

This work was done to the best of our ability and according to the requirements of the U.S.G.L.O. manual, and instructions given by Wis. Conservation Department.

Chief of Party and Instrument
man - - T. H. Kilroe

Asst. - - D. A. Hintz

Jan. 1937.

NORTH TOWNSHIP BOUNDARY.

Starting from the NE corner of section 1, T 34 N R 9 E, which is a iron pipe with brass cap on top, and witnessed by: New Hem. 10 N 85 E 69 lks.
New Hem. 11 N 20 W 67 "

West Bet. Sec. 1-36

Variation 2 - 48 E.

7.61	Chs.	Enter open Swp.
20.48	"	Set 1/8 Cor. in Swp/
29.00	"	Aspen Ridge
33.30	"	Enter Swp.
40.96	"	Set 1/4 Cor. Brass Cap. on high ground at edge of swp. Norway 10 N 0 E 18.5 lks. " 10 N 75 E 24.2 " W. Pine 7 S 60 " 13.6 "
44.00	"	Leave Aspen Ridge
47.00	"	Leave Swamp.
61.44	"	Set 1/8 Cor. at edge of Swp.
81.95	"	Orig. Sec. Cor. Old W. Pine Stp. S 10 W 8 lks. Old W. Pine " N 50 W 18 " New Nor. 10 N 25 W 37.57 " " " S S 5 E 11.66 " Rough Country.

West Bet. Sec. 2 - 35

Variation 0 - 30 E

20.53	Chs.	Set 1/8 Cor. Hwy. 9 North and West
41.06	"	Set 1/4 Cor. 1"x24" Iron Peg in road Elm 5 N 44 E 72.27 lks. Ash 45.42 W 46.66 "
61.59	"	1/8 Cor.
63.00	"	Road turns to right.
82.12	"	Sec. Cor. Fence N. Iron Bar 1 1/2"x1 1/2"x18" for Cor. Brass cap S side of road. Ash 10 S 50 E 75.85 lks. Elm 8 N 5 E 72.73 " Soft Maple 14 N 30 E 181.51 lks. Poor to fair hardwoods with Aspen and White Birch Country rough and rocky.

West Bet. Sec. 3 -34

Variation 3 - 32 E.

On County Highway "Q"

20.62 Obs. Set 1/8 Cor. No. B. T.
25.00 " Enter Spruce Swp.
33.50 " Leave spruce Swp.
40.00 " Enter Spruce Swp.
41.24 " Set 1/4 Cor. 1"x2" Iron
peg in road with B. C. on
South side of road

Variation 2 - 15 E

45.00 Obs. Leave Swp.
48.00 " Enter Swp.
50.00 " Leave Swp.
61.86 " Set 1/8 Cor. Fence South
60.30 " Fire lane North
81.18 " CANW R.R. tracks.
82.48 " Cor. 3-4-33-34
Onieda Co. Brass Cap.
Mostly old burnings and
brush. Very Rocky and rough.

West Bet. Sec. 4 - 33

Variation 6 E

19.292 Obs. Set 1/8 Cor.
B.T. Oak 10 N 11 W 48.03 lks.
B.T. Oak 8 N 24 1/2 E 52.57 "
38.59 " Set 1/4 Cor.
Maple 12 N 3 1/2 W 21.66 lks.
Maple 12 S 48 E 42 lks.
Swp. to left
46.00 " Enter Swp.
57.88 " Set 1/8 Cor. edge of Swp.
Pine 20 N 5 W 68.03
Slab Pine Stp. 24 N 79 1/2 W
10.83 lks.
69.00 " Enter Swp.
75.00 " Leave Swp.
77.18 " Set Sec. Cor. 4-5-32-33
Hem. 12 N 4 E 56.4 lks.
Maple 7 E 18 E 41.3 "
Fair second growths of hard-
wood and aspen. Rough and
rocky.

West Bet. Sec. 5 - 32.

Variation 6 - E

19.29 Obs. Set 1/8 Cor.
 Hem. 14 N 56½ W 18.45 lks.
 Hem. 12 S 13 E 25.75 lks.

29.25 " R.R. track slightly N of W.
 and S. of E.

39.59 " Set 1/4 Cor. Brass Cap.
 Birch 13 N 46 W 33.9 lks.
 Maple 12 S 31½ W 55.4 "

42.45 " R.R. Track SW & NE

57.88 " Set 1/8 Cor.
 W. Pine 10 S 9 E 53 lks.
 " " 7 N 56 W 25.8 lks.

77.18 " Set Sec. Cor. 5-6-31-32
 Pine 12 S 46 E 28.38 lks.
 " 8 S 48½ E 2 80.3 "
 " 14 N 35 E 117.9 E
 Second growth hardwood and
 some conifers. Ground rough.

West Bet. Sec. 6 - 31

Variation 6 - E

1.16 Obs. R.R. track NW and SE.

5.50 " Enter fairly open spruce swp.

16.30 " Leave Swp.

19.29 " Set 1/8 Cor. on Aspen Ridge
 Pine 6 N 44 E 38 lks.
 " 6 S 67 E 57.6 lks.

22.15 " Enter Swp.

38.59 " Set 1/4 Cor. in Narrow Swp.
 W. Pine 8 N 62 E 20.45 lks.
 " " 9 S 38 W 82.01 lks.

40.00 " Leave Swp.

55.50 " Enter open Swp. with Lake

57.88 " Set 1/8 Cor. in Swp. Pine Stp.
 15 S 14 E 40.30 lks.
 W. Pine 8 N 70½ E. 77.27 lks.

58.00 " Lake

62.40 " Across Lake.

66.80 " Highway 17.

78.254 " Sec. Cor. 1-6-31-36, T 34-35 N
 R 8-9 E.
 Aspen and white birch. Ground
 rough and swampy.

WEST TOWNSHIP BOUNDARY

North Bet. Sec. 31 - 36

Variation 3-30 E

15.00 Chs. Leave edge of clearing
20.017 " Set 1/8 Cor.
40.034 " Set 1/4 Cor.
No B. T.
45.50 " Enter spruce Swp.
55.00 " Old road NW & SE.
60.051 " Set 1/8 Cor. at edge of tag
alders.
80.068 " Set Sec. Cor. 25-30-31-36
Tam. 5 S 39 E 115.15 lks.
Ground rough and large spruce
swamp. Not much forest cover.

North Bet. Sec. 25 - 30

Variation 3-30 E

6.50 Chs. Leave Swp.
20.017 " Set 1/8 Cor.
36.00 " Old road mostly N & S
40.034 " Set 1/4 Cor. about 50' West
old road running almost N & S
52.00 " Old creek bed
60.051 " Set 1/8 Cor. and enter spruce
swp. Bears. NE & SW.
79.00 " Prairie River 55 lks. wide
80.068 " Set Sec. Cor. in the River
close to N or W shore. River
turning from flowing West to
NE.
Old cuttings and swp. Fairly
level.

North Bet. Sec. 19-24

Variation 3-30 E

1.60 Chs. Prairie River turning from
flowing NE to West.
4.545 " Set W. C. to Sec. Cor. 19-24
25-30.
B.T. to W.C. Birch 10 N 56 W
45.75 lks.
Birch 12 N 32 E 41.5 lks.
" 10 S 50 E 27.72 lks.
7.50 " Leave Swp.
17.65 " Hwy. 17 runs NE & SW.
20.017 " Set 1/8 Cor. edge of Swp.
40.034 " To reestablished 1/4 Cor.
W. Pine stp. 24 N 20 1/2 W
28 1/2 lks.
Ground rough and swampy.
Mostly swamp conifers and
some aspen.

North Bet. 19-24 (cont.)

43.65 Chs. Top of high hill
 58.839 " Set 1/8 Cor. edge of old trail.
 77.644 " Set Sec. Cor. 13-18-19-24
 Maple 13 N 52 E 18.5 lks.
 Hem. 8 N 35 W 26 lks.

North Bet. Sec. 13 - 18

Variation 3 - 30 E

18.805 " Set 1/8 Cor.
 Alder swp. to the right
 30.00 " Enter swamp
 37.61 " Orig. 1/4 Cor.
 Orig. Birch 15 S 1 E 27 lks.
 New B. Ash 8 N 62 W 20.45 "
 Cedar 5 S 22 E 32.42 lks.

Variation 2 - 45 E

47.00 " Leave Swamp.
 57.30 " Enter alder swamp
 57.655 " Set 1/8 Cor. W. side of fire
 lane.
 59.60 " Leave swamp
 65.00 " Enter swp. road W & S
 68.60 " Stream 8 lks. wide runs SE
 76.60 " Leave swamp
 77.701 " Set Sec. Cor. 7-12-13-18
 Pine Stp. 28 N 45 E 43.18 lks.

North Bet. Sec. 7 - 12

Variation 2 - 45 E

20.045 " Set 1/8 cor. at edge of alders
 Lake to right or east
 33.00 " Enter Tam. swamp
 37.90 " Leave " "
 40.091 " Set 1/4 Cor. Bet. 7-12
 W pine stp. 20 N 13 E 10.6 lks.
 58.00 " Enter Swamp
 60.136 " Set 1/8 Cor. in swp.
 66.00 " Leave swamp
 72.00 " Enter swamp
 73.53 " Leave swamp
 80.182 " Set Sec. Cor. 1-6-7-12
 Soft Maple 4 S 65 W 28.3 lks.
 Ground rough with small swamps
 mostly aspen cover.

North Bet. Sec. 1 - 6

Variation 2 - 45 E

13.00	Chs.	Edge of swp. to the E. Creek runs SW.
20.045	"	Set 1/8 cor. on edge of high ground.
22.00	"	Enter swamp.
40.091	"	Orig. 1/4 cor. " Tam. 12 S 80 E 9 lks. " " 10 S 60 W 8 "
42.50	"	New Cedar 12 S 30 E 16.66 lks. Creek SE.
60.241	"	Set 1/8 Cor. and left swamp up steep bank. Bears. E & W.
80.377	"	To orig. Town Cor. 1-6-31-36 T 34-35 N R 8-9 E Birch 14 S 45 E 52.27 lks. " 10 N 70 W 49.69 " " 18 N 52 14.24 "

EAST TOWNSHIP BOUNDARY

North Between Sec. 31-36

Variation 6 - 34' E

5.40	Chs.	Old road E&W
11.50	"	West edge of small swamp
20.49	"	Set S 1/8 cor. between 31-36
40.99	"	Set 1/4 cor. between 31-36 No B.T.
61.48	"	Set N 1/8 cor. between 31-36 in flat level ground sloping to north.
77.00	"	Cross old R.R. grade, NE & SW.
81.97	"	Set Sec. cor. 25-30-31-36. No B.T. Ground very rough and covered with thick hazel brush.

North Between Sec. 25-30.

Variation 6 - 34' E

11.30	Chs.	Enter spruce swamp, brg. E & W
17.30	"	Spring creek flows west, 15 lks. wide
20.49	"	Set S 1/8 cor. between 25-30
27.00	"	Leave swamp brg. E&W
40.99	"	Set 1/4 cor. No B.T.
61.48	"	Set N 1/8 bet. 25-30
71.00	"	Enter stand of small hardwoods.
81.97	"	To orig. sec. cor. 19-24-25-30 Orig. Maple 25" standing New Sugar 8" N 20 E, 48.5 lks. " 8" N 20 W, 60.0 " " 6" S 45 E, 43.25 " Birch 9" S 25 E, 33.0 "

North Between Sec. 19-24

Variation 5 48' E

20.745	Chs.	Set S. 1/8 cor. between 19-24 Ironwood 6" S 62 W, 31 lks.
23.00	"	West edge of pothole and old road NE
41.49	"	To orig. 1/4 cor. Orig. Elm N 87 W, 9.7 lks. Rest. Birch 8" S31E 13.6 New " 16" N30 1/2 E, 51 " 12" S14W, 25.4 Country well wooded but rough

Variation 6 - 56' E

44.70	Chs.	Leave well wooded area
21.345	"	Set N 1/8 cor. between 19-24 Ironwood 5" N 59 E, 22
30.00	"	Leave second growth of hardwood
42.69	"	To original sec. cor. 13-18-19-24 Rest B.T. Hem stp. 8", N 39 1/2 W, 17 lks " " 8", S 2 1/2 W, 5 " Birch 8", N 5 1/2 E, 24.4 "

I THINK THIS
IS CRAP. LOOK
AT NOTES FOR
34-10

11/2007
I. TRUSTY

North Between Sec. 13-18

Variation 2 - 20' W

0.40	Chs.	Enter small swamp
3.40	"	Leave " "
21.18	"	Set S 1/8 cor. between 13-18
22.00	"	Enter spruce swamp
42.36	"	Set 1/4 cor. on edge of swamp
		Spruce 4" S 2 W, 18.48
63.54	"	Set N 1/8 cor., no B.T.
65.00	"	Old logging road NW & SE
75.00	"	Cross E & W fire lane
78.00	"	Cross Prairie R. 30 lks. wide, fl. W
84.71	"	To orig. sec. cor.
		B.T. stps left.
		S 5 W 28.6 lks.
		N 30 E 14.4 lks.
		N 5 W 7 lks.

North Between Sec. 7-12

Variation 0 - 30' W

3.00	Chs.	Enter cedar swamp
6.00	"	Spring creek 7 lks wide
20.55	"	Set 1/8 cor. in swamp
33.00	"	Spring creek 10 lks wide
40.00	"	Leave swamp, brs. E & W
40.50	"	Old road SE & NW
41.11	"	To orig. 1/4 cor.
		Cedar 10 S 83 E 27
		Birch 8 N 5 E 5.7

Variation 0 - 10' W

57.00	Chs.	Creek flows SE
61.82	"	Set 1/8 cor. at edge of swamp
		Beaver dam 2.60 chs. W
73.00	"	Leave open swamp
82.53	"	Orig. Sec. cor. 1-6-7-12
		Old stake and rotted B.T.
		New Norway 12" S 55 E, 89.5
		" 10" N 40 E, 84

North Between Sec. 1-6

Variation 0 - 17' W

1.50	Chs.	Enter spruce swamp
20.52	"	Set 1/8 cor. in swamp
41.40	"	Set 1/4 cor. in swamp
		Near another old stake, no B.T.
61.56	"	Set 1/8 cor. on edge of swamp
69.00	"	Enter open swamp
78.00	"	Leave " "
81.06	"	To orig. Sec. cor. 1-6-31-36
		New Hem. 10" N 85 E 69
		" 11" N 20 W 67

SOUTH TOWNSHIP BOUNDARY

West Between Sec. 1-36

Variation 3 E

3.00 Chs. Enter swamp
 16.211 " Leave swamp and old R.R. grade
 20.065 " Set 1/8 corner
 40.13 " Set 1/4 corner. B.T. stakes in position
 S220 E, 15.
 N 12 E, 20.
 48.00 " Enter spruce swamp
 56.00 " Leave " "
 60.195 " Set 1/8 corner, no B.T.
 66.75 " Enter swamp
 69.00 " Leave "
 80.26 " Set Sec. cor. 1-2-35-36.
 Hem. 6" N 30 W, 41
 " 12" S 88 E, 78
 Poor conifers and second growth
 hardwoods, Rough and swampy land.

West Between Sec. 2-35

Variation 3 E

20.065 Chs. Set 1/8 corner
 40.13 " Set 1/4 corner
 Elm 6", N40 E, 28.5
 " 5", S43 W, 33.3
 41.00 " Creek 10 lks. wide, running south
 54.50 " Enter spruce swamp
 56.00 " Leave swamp
 60.195 " Set 1/8 corner on N side of aspen ridge
 63.00 " Enter swamp
 65.50 " Leave "
 74.00 " Fire lane North and South
 80.26 " Original section corner 2-3-34-35
 Brass cap set in place of old stake.
 Hemlock 10", S 65 W, 16.7 lks.

* SEE NOTE NEXT PG

West Between Sec. 3-34

Variation 3 - 18' E

9.00 Chs. Enter alder swamp
 11.00 " Leave " "
 19.57 " Set 1/8 corner at bottom of steep hill
 on the north side.
 30.00 " Creek about 12 lks. wide, running SW
 39.14 " Set 1/4 corner in slightly open country.
 Cedar stp. 15" N65 E, 54.8
 Hem. " 15" S20 W 94.7
 58.71 " Set 1/8 corner.
 78.26 " To original section corner 3-4-33-34
 Org. Maple 20" N 60 E, 9
 Birch 16" N 60 W, 34.8
 Mostly young aspen and w. birch, ground
 very rough.

40.00 * Leave swamp
 55.50 * Enter open swamp with lake
 57.89 * Set 1/8 cor. in swamp pine stp. 15 S. 14 E 40.30
 58.00 * Lake W. Pine 8 N 70 E. 77.27
 62.40 * Across lake
 64.80 * Highway 17
 78.25h * Sec. cor. 1-6-31-36 T 34-35 N R 8-9E
 Aspen W. Birch, ground rough and swampy.

South Town line

Bet. T33-34 N R 9 E

West Bet. 1-36

Variation 3° E

3.00 ch. . Enter swamp.
 16.21 " Leave " and old R.R. grade
 20.065 " Set 1/8 cor.
 40.13 " , Set 1/4 cor. B.T. stakes in position
 of govt. work.
 E 20 E 15 W Birch. 7" S 75 W-30L
 N 12 E 20

48.00 * Enter spruce swamp
 56.00 " Leave " "
 60.195 " 1/8 cor. No. B.T.
 66.75 " Enter swamp
 69.00 " Leave "
 80.26 " Set Sec. cor. 1-2-35-36
 Hem. 6 N 30 W 41
 " 12 S 88E 75

Poor conifers and second growth
Hardwoods. Rough and swampy land.

West Bet. 2-35

Variation 3° E

20.065 chs Set 1/8 cor.
 40.13 " Set 1/4 cor.
 Elm 6 N 40 E 28.5
 " 5 S 43 W 33.3
 41.00 " Creek 10 lks. wide runs south
 54.50 " Enter spruce swamp.
 56.00 " Leave swamp.
 60.195 " Set 1/8 cor. on N. side of
 Aspen ridge.
 63.00 " Enter swamp.
 65.50 " Leave "
 74.00 " Firelane North and South.
 80.26 " Org. sec. cor 2-3-34-35
 Hem. 10 S 65 W. 15.7 lks.

(Old field notes tell us that org. Birch 30 W was
Hem S 65 W 15
Set Brass cap where old stake set.)

West Between Sec. 4-33

Variation 0 - 25' E

13.00 Chs. Enter swamp
 19.735 " Set 1/8 corner
 25.70 " Creek 8 lks. wide, running SW
 39.47 " Original $\frac{1}{4}$ corner
 B.T. do not agree with original, but
 believe there has been a mistake.
 Maple stub S 15 W, 17.6
 Hem. " N 15 E, 17.6

Variation 1 - 18' E

48.30 " Enter cedar swamp brg N & S
 59.43 " Set 1/8 corner
 76.50 " Logging road N & S
 79.485 " To original section corner 4-5-32-33
 Evidence of original Cedar N 30 W 10
 New Tam. 10" S35 W 15.75
 Cedar 6" S32 E 21.81
 Mostly swamp land and aspen growth.

West Between Sec. 5-32

Variation 1 E

20.105 Chs. Set 1/8 corner in swamp
 40.21 " Original $\frac{1}{4}$ corner
 Evidence of Original Tam. N 35 W 9
 New Birch 6" S 60 E 25.15

Variation 6 E

46.20 " Leave swamp for low ground
 52.50 " Creek runs mostly south, 15 lks wide
 60.81 " Set 1/8 corner in town road,
 Offset stake to south.
 81.41 " To Sec. Cor. 5-6-31-32.
 76.2 " $\frac{3}{4}$ " pipe 15" long with elbow in road.
 Brass cap NW of fence corner.
 Land fairly level but rocky, forest cover
 recently cut. Hardwoods and some conifers.

West Between Sec. 6-31

Variation 4 - 15' E

West on town road. About 40 a. clearing on
 north and mixed hardwoods on the south.
 20.00 Chs. Set 1/8 cor. on south side of road.
 40.00 " Orig. $\frac{1}{4}$ cor. Stone in road. No B.T.

Variation 9 E

81.42 " Set West 1/8 between 6-31 on S side of road
 70.00 " Enter low and swampy ground
 86.27 " To town cor. Sec. 1-6-31-36
 T 33-34 N, R 8-9 E
 6" x 6" red granite stone.
 Maple 10" N15 W 50.30

T 34 N, R 9 E

Retracing of Gov't. Subdivision

North Between Sec. 35-36

Variation 4 - 35' E

3.65 Chs. Enter spruce swamp
12.70 " Leave swamp for aspen ridge
16.00 " Enter swamp
20.705 " Set 1/8 corner on east side of swamp
23.00 " Logging road brs. E & W
23.80 " Leave swamp
29.00 " Enter alder swamp
36.80 " Logging road NW & SE
38.00 " Leave swamp
41.00 " Enter alders
41.41 " Org. 1/4 corner
" Birch 10 N 40 E 8
Ground broken and swampy, mostly aspen
cover.

North Between Sec. 35-36

From 1/4 corner North

Variation 4 - 07' E

49.00 Chs. Stream 3 lks. wide. Runs SW
55.00 " Leave alder swamp
61.11 " Set 1/8 cor.
80.81 " Org. Sec. cor.
Remaines of org. B.T. stumps still
visible.

West Between Sec. 25-36

Variation 2 - 39' E

19.21 Chs. Set W 1/8 on west
32.60 " side of swamp.
38.41 " Set 1/4 cor. on south side of small
swamp. No B.T. Country badly burned.
" Old road NE & SW
51.00 " Enter swamp
57.62 " Set E 1/8 cor. Bet. 25-36
on west side of windfall swamp
61.00 " Enter swamp
65.00 " Leave "
76.83 " To Sec. cor. 25-26 - 35-36
No B.T. This cor. set on proportion

North Between Sec. 25-26

Variation 4 - 31'

19.445 Chs. Set 1/8 cor.
28.00 " Enter cedar swamp
38.89 " To org. 1/4 cor. Between 25-26
Edge of springs

Variation 5 - 07° E

41.00 Chs. Over springs in cedar swamp
 53.00 " Leave cedar swamp
 57.515 " Set 1/8 cor. at edge of small clearing.
 Old camp site.
 67.40 " Old road brs. SE & NW. May be old
 5¢ road.
 72.00 W Enter swamp
 76.50 " Leave . "
 78.14 " To org. Sec. cor. 23-24-25-26.
 Old stake and badly burned Birch
 stps. in position of Govt. work.

West Between 24-25
 from org. Sec. cor. on range line

Variation 5 - 36° E

Following fire lane

4.00 Chs. Leave fire lane
 18.605 " Set 1/8 cor. on north side of fire lane
 32.70 " Small swamp
 35.70 " Leave swamp
 37.21 " Org. 1/4 cor.
 " Maple stp. S 40 E 10
 New " 16 N 83 W 16.51

Variation 5 - 56° E

40.00 " Fire lane E & W
 Follow close to it all along
 54.00 " Enter swamp
 56.175 " Set 1/8 cor.
 59.20 " Leave swamp
 66.20 " Fire lane
 75.14 " To Sec. cor. 23-24-25-26

North Between Sec. 23-24

Variation 3 - 50° E

3.00 Chs. Enter edge of marsh
 6.00 " Leave marsh
 19.66 " Set 1/8 cor.
 39.32 " To org. 1/4 cor. Between 23-24
 " Hem. 8 S 33 W 15
 New Ash 14 S 54½ E 22
 " Birch 14 S 15 W 26.81

Variation 3 - 50' E

45.30 Chs. Enter spruce swamp
 47.30 " Logging road NW & SE
 Leading to old camps about 200' E
 of line before entering swamp
 51.00 " Leave swamp
 59.00 " Set 1/8 cor.
 78.68 " To org. Sec. cor. 13-14-23-24
 Org. Maple S 65 W 13 Down
 lind. N 53 W 40.15
 Sugar 10 S 36 E 47
 Ironwood 10 S 40 W 34.54

West Between Sec. 13-24

Variation 13 - 41' E

9.00 Chs. Old tote road N & S
 11.00 " Enter spruce & cedar swamp
 17.62 " Set W 1/8 cor. in swamp
 31.00 " Leave swamp
 34.24 " To org. 1/4 cor.
 Org. Birch 8 S 53 W 35
 " 12 N 4 1/2 W 30

Variation 4 - 36' E

3.00 Chs. Enter spruce swamp
 8.90 " Old road NE and SW
 11.00 " Leave swamp for rough country
 18.25 " Set 1/8 cor. No B.T.
 36.50 " To org. cor. 13-18-19-24
 Country rough with second growth hardwood

North Between Sec. 13-14

Variation 6 - 24' E

10.80 Chs. Enter spruce & cedar swamp
 15.00 " Thick alders
 21.825 " Set 1/8 cor. beside old 1/8 cor.
 26.00 " Spring creek flows west
 33.00 " Logging road. SE & NW
 38.00 " Leave swamp
 43.75 " To org. 1/4 cor.
 Both org. there badly burned.

Variation 5 - 48' E

59.50 Chs. Old road NE & SW
 65.445 " Set 1/8 cor. Also fire lane E & W.
 1/8 cor. on N. road shoulder. Offset
 it N.
 86.94 " Sec. cor. 11-12-13-14. No B.T.
 This cor. set from 1/8 cor. and 1/4
 cor. (org.) North of here.

4
West Between Sec. 12-13

Variation 8 - 30' E

15.00 Chs. Enter swamp
20.075 " Set 1/8 cor. south side of old swamp
road. Brs. E & W. Cedar 10 N 35 W 36½
40.15 " To 1/4 cor. established by Brooke 1910.
Birch 12 S 15 E 32 12

Variation 8 - 22' E Balsm 8 N 70 W 21 21

60.495 Chs. Set 1/8 cor. in swamp
66.00 " Springs and small stream. Flows N
69.00 " Logging road N & S
70.50. " Leave swamp
80.84 " To Sec. cor. 11-12-13-14.
Mostly swamp. Fair growth of swamp
conifers. Other ground rough.

North Between Sec. 11-12

Variation 0 - 09' W

4.00 Chs. Enter swamp
24.80 " Old 1/8 cor. reset it.
Old B.T. still there. Tam. 12 N 28½ E 12
27.60 " To Prairie River
28.20 " Over " "
29.00 " High ground
42.00 " Enter cedar swamp
45.60 " To 1/4 cor. Remains of org.
Rest. Cedar 8 N 51 E 12

Variation 3 - 40' E

61.00 Chs. Logging road E & W
67.50 " Set 1/8 cor.
78.00 " Leave thick and tall dead Tam. and
Cedar for thick young Tam. and some alders.
89.40 " To org. Sec. cor. 1-2-11-12
Tam. 5 S 43 E 18.48. Tam. 5 N 35 E 35
Mostly swamp with plenty of windfalls.
Fair to poor growth.

West Between Sec. 1-12

Variation 2 - 13' E

1.00 Chs. Enter swamp (open)
20.90 " Set 1/8 cor. in swamp almost Bet. two
small ponds. (Offset random to go around
them)
29.00 " Ridge of aspen and W. birch
32.40 " Enter swamp (Spruce, Tam.)
41.80 " Set 1/4 cor. No B.T.
Found old 1/4 cor. about 150' E and
60' south of line from old notes this
was set midway Bet. Sec. cor's.
But distance was given as 87.69 chs.
We find only 83.60 chs.

46.40 Chs. Leave swamp
 62.70 " Set 1/8 cor. on high ground.
 Fair timber.
 67.00 " Enter swamp
 70.00 " " Tag Alders
 83.60 " Sec. cor. 1-2-11-12.
 Not much worthwhile timber.

North Between Sec. 1-2

Variation 2 - 41' W

4.50 Chs. Leave Tam. growth (0-3)
 9.00 " Leave alder swamp
 20.685 " Set 1/8 cor. on high ground
 26.50 " Small swamp creek 10 lks. wide flows SW
 40.00 " Enter Tam. swamp
 41.17 " To org. 1/4 cor. Remains of both
 B.T. (org.)
 New or restablished Tam. 6 S 20 E 47½
 New Tam. 4 S 73 E 28.79
 New Maple 11 S 35 W 119.7

Variation 0 - 03' E

44.20 Chs. Leave swamp
 50.20 " Enter spruce swamp
 60.00 " Leave " "
 60.99 " Set 1/8 cor. on Aspen ridge
 64.00 " Enter swamp
 66.40 " Leave "
 68.50 " Enter Spruce swamp
 87.50 " Leave " "
 81.59 " To cor. 1-2-35-36 T34-35N R9⁴

North Between Sec. 34-35

Variation 4 - 28' E

3.00 Chs. Old road SE & NW & edge of swamp
 12.00 " Old road almost E & W
 19.548 " Set 1/8 cor. of foot of hill
 23.00 " Enter swamp
 26.00 " Leave "
 36.70 " Small stream flows SW
 38.095 " Set 1/4 cor. near top of hill
 50' from fire lane. No B.T.
 52.00 " Highland swamp to east
 40.00 " Fire lane; line follows close to fire lane.
 58.643 " Set 1/8 cor. edge of fire lane
 64.00 " Small swamp Bet. two hills
 78.19 " Set Sec. cor. 26-27-34-35
 By double proportion. 40.074
 Chs. from 1/4 cor. Bet. Sec. 26-35
 No B.Ts. Set cor. on S side of small
 swamp.

West Between Sec. 26-35

Variation 3 - 02' E

5.00 Chs. Enter swamp
9.00 " Leave "
20.175 " Set 1/8 cor. No. E.T.
35.00 " Enter Cedar swamp
40.35 " To org. 1/4 cor. Leave swamp.
Org. Cedar 12 N 32 E 10
Down but good.

Variation 2 - 48' E

51.30 Chs. Enter large Spruce swamp
60.387 " Set 1/8 cor. near E side of N & S
logging road
69.40 " Logging road N & S
80.424 " To Sec. cor. 26-27-34-35.
Country rough and swampy. Not much
forest cover. No timber.

North Between Sec. 26-27

Variation 4 - 27'

3.00 Chs. Leave swamp (dead Cedar)
14.00 " Enter swamp
19.817 " Set 1/8 cor. edge of swamp. Also old
logging road N & SE. Tam. 10 N 67 W 28.48
25.00 " Leave swamp
39.635 " Set 1/4 cor. Between 26-27.
Post set Bet. two large rock with
rock piled around it.
54.50 " Edge of swamp and logging road N & S
59.452 " Set 1/8 cor. East side of fire lane
66.00 " South Branch of Prairie River flows NW
79.29 " Set Sec. cor. 22-23-26-27.
38.49 Chs. from 1/4 cor. Bet. 22-27
39.69 " " 1/4 cor. " 22-23

West Between Sec. 23-26

Variation 2 - 19' E

2.00 Chs. Enter swamp
12.00 " Leave swamp and follow close to fire lane
19.25 " Set 1/8 cor. south side of fire lane
38.50 " Set 1/4 cor. edge of small swamp.
Spruce 4 S 45 W 38
Balm 4 N 60 E 40
56.00 " Cross N & S fire lane
57.25 " Set 1/8 cor. No B.T.
74.00 " Cross fire lane E & W
77.00 " To Sec. cor. about 20' South of E & W
fire lane.
Country rolling and mostly covered by
Aspen (1-4)

North Between 22-23

Variation 2 - 50' E

0.30 Chs. E & W fire lane
3.30 " Enter swamp
17.00 " Leave "
19.845 " Set 1/8 cor.
24.50 " Enter large Cedar swamp
39.69 " To org. 1/4 cor.
Org. Ash 6 S 89 E 8
New Spruce 12 N 66 E 10
Cedar 12 N 53 W 36

Variation 3 - 50' E

50.70 Chs. Leave Cedar swamp
59.465 " Set 1/8 cor. in fair growth of hardwood
and conifers
65.00 " Old logging road E and W
76.06 " Logging road east and west
79.24 " To Sec. cor. 14-15-22-23
Org. Cedar 8 N 27 W 5
New " 6 S 44 W 30.45

West Between 14-23

Variation 0 - 33' E

10.00 Chs. Leave heavy timber
18.33 " Set 1/8 cor.
Birch 12 S 40 W 19.85 (Notch in tree)
36.66 " To 1/4 cor.
New Birch 14 N 23 E 40

Variation 3 - 30' E

41.20 Chs. Enter swamp
56.425 " Set 1/8 cor. and leave swamp.
Hem. 10 N 17 W 10.6 (Notch in scar.)
57.95 " Fire lane S & NW
60.00 " Enter swamp
65.70 " Leave swamp
76.19 " To Sec. cor. 14-15-22-23
Country rough and swampy. Some fair
timber East of 1/4 cor.

North Between Sec. 14-15

Variation 7 - 09' E

0.50 Chs. Fire lane E & W and enter swamp
15.00 " Leave swamp
21.095 " Set 1/8 cor. N side of small marsh
24.60 " To fire lane SW & NE
30.00 " Enter swamp (Spruce)
33.00 " Leave "
42.19 " To 1/4 cor.
Old B.T. stp. N 67 E 34
New Balsm 12 S E 20

Variation 4 - 57° E

43.50 Chs. Prairie River 75 lks wide. Flows SW
 46.00 " Enter Spruce swamp
 50.50 " Leave " "
 59.50 " Old camp site
 66.475 " Set 1/8 cor.
 83.70 " Prairie River 50 lks wide. Flows SE
 86.76 " To org. Sec. cor. 10-11-14-15
 Pine N 14 W 0.5
 " Stp 26 N 88 E 10

West Between Sec. 11-14

Variation 3 - 31° E

16.00 Chs. Small marsh
 18.00 " Leave "
 19.143 " Set 1/8 cor. on high ground
 38.285 " Set 1/4 cor. N side of old clearing
 57.428 " Set W 1/8 cor. Between 11-14
 76.57 " To Sec. cor. 10-11-14-15
 Country mostly open. Mostly small
 Aspen. No standing timber.

North Between 10-11

Variation 2 - 32° E

7.57 Chs. To edge of River (Prairie). Flows SW
 60 lks. wide. River bottom very
 muddy. Could not measure so used
 triangle to measure. Did not set S 1/8
 cor.
 24.30 " To high ground, but enter swamp almost
 at once
 38.00 " Leave swamp
 45.27 " To 1/4 cor. Found Pine 18 S 44 W 18.5
 New Cedar 10 N 78 W 11
 Birch 12 N 67 E 10

Variation 3 - 48° E

48.30 Chs. Old road NE & SW
 67.665 " Set 1/8 cor. Maple 10 N 13 W 43
 88.00 " Enter Tam. swamp
 90.06 " To org. Sec. cor. 2-3-10-11
 Org. Tam. 10 S 43 E 7
 " " 10 S 65 W 10
 Ground fairly level. No timber of
 any value

West Between 2-11

Variation 1 - 26' E

8.70 Chs. Leave Tam. and Alder swamp
19.77 " Set 1/8 cor.
Pine 10 S 85 W 33
28.00 " Old logging road. N & S
39.545 " Set 1/4 cor. on N side of small swamp
Birch 14 S 22 W 84.54
59.315 " Set 1/8 cor. at edge of the swamp
66.00 " Cross old swamp road
69.00 " Leave swamp
76.00 " Enter "
79.09 " To Sec. cor. 2-3-10-11
Mostly swamp land. Not much forest
cover.

North Between Sec. 2-3

Variation 0 - 44' E

11.26 Chs. Leave Tam. swamp
20.705 " Set 1/8 cor.
Elm 10 S 35 64
41.41 " Set 1/4 cor.
Maple 12 S 48 E 147.7
62.115 " Set 1/8 cor.
Maple 12 N 35 W 115.75
83.895 " To Sec. cor. 2-3-34-35
T34-35N R9E

Ground rough and no forest cover
except for some Aspen and Cherry
brush.

North Between Sec. 33-34

Variation 3 E

10.60 Chs. Enter swamp
12.10 " Leave "
15.85 " Stream 3 lks wide. Flows NW
19.835 " Set 1/8 cor.
Hem. 10 S 15 W 30.75
28.00 " Enter swamp
38.67 " To org. 1/4 cor.
Rest. Birch 10 S 76 E 26.70
" Cedar 7 N 65 W 14
New " 8 N 47 E 28
Hem. 18 S 20 W 60.6

Variation 2 - 30'

43.00 Chs. Logging road. SW & NE
54.70 " " " NW & SE
57.89 " Set 1/8 cor.
Cedar 8 N 48 E 29.24

64.70 Chs. Leave swamp
72.15 " Old tota road NW & SE
77.11 " To org. Sec. cor. 27-28-34-35
Remaines of org.
New W. Pine 5 N 62 E 78

West Between Sec. 27-34

Variation 2 - 31' E

Enter swamp at once

6.10 Chs. Leave swamp
10.30 " Fire lane
12.00 " Enter swamp
19.226 " Set 1/8 cor. west side old logging
road
21.00 " Leave swamp
38.452 " Set 1/4 cor.
Pine stp. 30 N 20 W 49.85
49.00 " Enter swamp
57.678 " Set 1/8 cor. just south of old logging
road. E & W.
61.00 " Leave swamp
76.906 " To Sec. cor. 27-28-33-34
Country has a great many small swamps.
Ground mostly rough covered with fair
to poor stand young hardwoods.

North Between 27-28

Variation 4 - 36' E

14.00 Chs. Enter Spruce swamp
19.495 " Set 1/8 cor. on West side of old road
SW & N.
W. Pine 8 S 54 W 67
30.00 " Leave swamp
38.99 " To org. 1/4 cor.
Org. Hem. 8 N 86 E 5; Birch 12 S 51 W 5
New W. Pine 5 N 10 E 40.75
Hem. 12 N 77 W 9.8

Variation 4 - 35' E

Enter swamp

42.50 Chs. Leave swamp
58.74 " Set 1/8 cor. No B.T.
78.49 " To org. Sec. cor. 21-22-27-28
Rest. Hem. ? S 22 E 35
New Maple 14 N 80 W 66.66
Country very rough and many small swamps.
Mostly small Aspen & conifers.

West Between 22-27

Variation 2 - 50' E

3.00 Chs. Fire lane. Mostly E & W
7.50 " Creek 20 lks. wide
19.245 " Set 1/8 cor.
37.50 " Fire Lane - SE & NW
38.49 " To org. 1/4 cor.
Org. Birch S 5 E 30
New Pine stp. N 25 E 63

Variation 3 - 28' E

44.70 Chs. Cross fire lane
49.00 " Small pond
58.039 " Set 1/8 cor. Just north of the fire lane
77.588 " To cor. 21-22-27-28
Country rough and swampy. Mostly young
Aspen cover except in the swamps which
are mostly Spruce.

North Between 21-22

Variation 4 - 37' E

0.45 Chs. Fire lane - E & W
4.00 " Enter swamp
12.00 " Leave " and follow close to edge of
swamp
19.635 " Set 1/8 cor. but no B.T.
39.27 " To org. 1/4 cor.
Org. Hem. N 85 W 16 Hem. S 60 W 20
New Birch 12 S 53 E 47.42 Stone SE 10.60
Right on west edge of swamp

Variation 4 - 38' E

47.87 Chs. Enter swamp
55.10 " Leave "
58.72 " Set 1/8 cor. No B.T.
68.30 " Enter swamp. Spruce and Tam.
70.60 " Leave swamp
78.17 " To org. cor. 15-16-21-22
Org. Birch N 41 E 14; Tam. S 75 W 20
New Birch 12 N 23 E 54.24
" 10 S 58 E 81.82
Hem. 14 S 75 W 67.12

West Between 15-22

Variation 5 - 30' E

11.00 Chs. Leave swamp
18.63 " Enter swamp
19.845 " Set 1/8 cor. in swamp
26.00 " Leave swamp
32.00 " South Branch of Prairie River flows NW
39.69 " To org. 1/4 cor. Old Hem. 8 S 54 E 26.82
New Birch 10 N 58 E 24.24

Variation 3 - 56' E

48.00 Chs. To road N. and South
 59.36 " Set 1/8 cor. Hem. 8 N 5 E 13.45
 60.90 " Enter swamp Brs. SW & NE
 63.90 " Leave " Brs. SE & NW
 79.03 " To org. Sec. cor. 15-16-21-22
 Fair stand of hardwood and conifers from
 E 1/8 Bet. Sec. 15-22. To cor. 15-16-21-22.
 Do not believe it has been logged since
 the Pine was taken out. Country rolling
 and broken with swamp.

North Between Sec. 15-16

Variation 4 - 38' E

21.69 Chs. Set 1/8 cor. Near old 1/8 cor.
 Hem. 14 N 65 W 21.21
 34.00 " Enter alders
 38.35 " Logging road SE & NW
 39.00 " Enter alder swamp
 43.38 " Set 1/4 cor. No B.T.
 48.00 " Prairie River 75 lks. wide.
 Flows NW. Enter alders & marsh
 54.00 " Leave alders & swamp
 58.15 " Enter small swamp
 60.60 " Leave swamp
 65.07 " Set 1/8 cor. with no B.T.
 Found part of old 1/8 stake near here.
 70.45 " Enter Spruce swamp
 77.27 " Spring Creek 4 lks. wide. Flows SW
 84.45 " Leave swamp
 86.76 " To org. Sec. cor. 9-10-15-16
 Org. Pine 12 S 50 E 18 & Pine 10 S 20 W 26
 New Birch 18 S 22 E 33.33

West Between Sec. 10-15

Variation 6 - 14' E

1.00 Chs. Prairie River 60 lks. wide. Flows South
 13.30 " Cross fire lane
 19.27 " Set 1/8 cor. near old 1/8 stake.
 Maple stp. 16 S 28 E 7.6
 25.45 " Enter Cedar & Spruce swamp
 38.54 " To org. 1/4 cor. Org. B.T. gone
 Rest. Cedar 10 N 40 E 21
 " 12 S 36 E 21

Variation 2 - 28' E

40.00 Chs. Logging road SW & NE
 57.03 " Set 1/8 cor. at N. side narrow swamp.
 Dead Birch 10 N 65 W 4.8
 59.00 " Enter swamp
 72.00 " Leave swamp
 75.52 " To Sec. cor. 9-10-15-16.
 Mostly swamp. Forest cover mostly small.

North Between Sec. 9-10

Variation 6 - 03' E

4.30 Chs. Edge of wet open marsh
9.35 " Over wet marsh
17.00 " Fire lane E & W
21.905 " Set 1/8 cor. near old 1/8 cor.
29.70 " Old road E & W (log)
37.12 " Old logging road SE & NW
43.81 " To org. 1/4 cor. Org. gone
Rest. Birch 28 N 50 E 17
New Maple 6 S 85 W 45.15

Variation 5 - 30' E

45.00 Chs. Old tote road - NE & SW
67.07 " Set 1/8 cor. in skidding trail at end
of old skidway.
Maple 8 S 70 W 21
90.33 " To org. Sec. cor. 3-4-9-10.
Org. Maple S 86 W 10 & Birch S 59 E 16.
Both badly burned.
Country rolling and has a fair second
growth timber in the last 1/2 mile.

West Between Sec. 3-10

Variation 3 - 02' E

19.635 Chs. Set 1/8 cor. in swamp.
Tam. 4 N 3 E 29.09
24.60 " Leave swamp
28.00 " Enter "
39.27 " Leave " and to org. 1/4 cor.
Org. Hem. 6 N 54 W 10
Hem. 12 S 19 E 4
New W. Pine 7 N 63 E 118

Variation 3 - 34' E

58.89 Chs. Set 1/8 cor. Very close to old 1/8
Birch 12 N 12 E 14.85
78.51 " To cor. 3-4-9-10
Ground mostly level with quite a little
swamp. Not much timber of value.

North Between Sec. 3-4

Variation 2 - 02' E

22.67 Chs. Set 1/8 cor.
Elm 12 N 60 E 137.27
26.70 " To fence E & W
Then across a field
45.34 " To fence corner and old 1/4 cor. No
stake or B.T. but said to be 1/4 cor.
by natives

- 65.74 Chs. 1/8 cor. Did not set because of dispute
with owner
86.26 " To cor. 3-4-33-34, T34-35N R9E
Some cleared farm land. Not much
standing timber of any value. Plenty
of rock.

North Between Sec. 32-33

Variation 3 E

Corner 4-5-32-33
T33-34N, R9E is in
a large cedar swamp

North in Cedar swamp

- 19.125 Chs. Set 1/8 cor. just south of old
logging road NW & SE
19.60 " To old logging road
38.25 " To org. 1/4 cor.
Org. Tam. stp. S 60 W 12
New Cedar 6 N 30 W 12.57

Variation 2 E

- 56.75 Chs. Logging road - NW & SE
57.355 " Set 1/8 cor.
Birch 10 N 42 E 21.21
57.72 " Logging road - NE & SW
59.25 " Leave swamp. Brs. E & W
76.46 " To cor. 28-29-32-33.
Stone with + in cow lane.
Set brass cap under fence. No B.T.
Mostly swamp that has been cut over.

West Between Sec. 28-33

Variation 1 E

Corner sets on
South edge of
swamp

- 4.00 Chs. To old tote road - NW & SE
20.197 " Set 1/8 cor. on N. edge of large swamp.
Cedar 5 S 25 E 56.07
Con't. close to edge of swamp
33.00 " Enter Cedar swamp. Old 5¢ Road (E & W)
crosses about here to
40.00 " Leave swamp
40.394 " To org. 1/4 cor. Remains of old Hem.
New Cedar 6 S 60 W 17

Variation 0 - 50' E

Old 5¢ Road about
50' South

- 60.521 Chs. Set 1/8 cor. in old pasture and wood lot
Elm 10 N 77 E 8.3
73.13 " Fence N & S & gate. Fence also runs
E, but South of line
80.749 " To Sec. cor. 28-29-32-33
Country broken and plenty rock. Not
much worthwhile timber.

North Between Sec. 28-29

Variation 2 - 17' E

Following close to
N & S fence

- 9.00 Chs. Fence West
18.83 " Set 1/8 cor. B. Ash 5 S 40 E 25.45
20.00 " Fence cor. fence West
26.00 " Enter swamp
29.00 " Leave "
35.60 " Enter Cedar swamp
37.66 " To org. 1/4 cor.
Org. Cedar 8 N 51 E 12 & Cedar 6 N 70 W 10

Variation 3 - 47' E

- 38.20 Chs. Leave swamp
54.50 " Enter highland swamp
56.275 " Set 1/8 cor. Birch 5 S 13 W 19
60.50 " Leave swamp
62.50 " Enter Spruce swamp
71.22 " Leave swamp
72.80 " Fire lane - E and W
74.89 " To Sec. cor. 20-21-28-29
Remains of org. B.T. No new.

West Between 21-28

Variation 3 - 04' E

- 19.73 Chs. Set 1/8 cor.
Aspen 6 N 28 E 10.45
29.00 " Enter swamp
39.30 " Road N & S
39.46 " Set 1/4 cor. at edge of swamp.
Birch 7 S 66 W 44.15
59.19 " To 1/8 cor. in the lake. Did not set
the M.C. on line, but set it on offset
from random. It is on North shore of
lake. B.T. to M.C. Pine stp. 16 N 8 E 11.36
1/8 cor. in lake. Would be 129 lks South
into lake. Variation 3 - 45' E

78.91 Chs. To Sec. cor. 20-21-28-29
On this mile the random was some 8 chs.
North of the corners. So distances into
and out of swamps are not given. Ground
broken and swampy.

North Between Sec. 20-21

Variation 3 - 42' E

10.30 Chs. Enter swamp
13.00 " Leave "
20.523 " Set 1/8 cor. No B.T.
22.00 " Logging road - E & W
30.00 " Enter swamp
41.046 " Set 1/4 cor. on North side of hill.
Can see for several miles North & West.
No B.T.
45.00 " Enter swamp and follow close to N & S
logging road
58.75 " Leave swamp
61.569 " Set 1/8 cor.
Pine stp. 18 S 2 E 21.66
82.092 " To Sec. cor. 16-17-20-21
Found one org. B.T. but the Govt.
notes did not give course & distance
but did mention a Birch tree which we
found. New B.T. Maple 12 S 64 W 63
Hem. . 10 N 50 E 90.3

West Between Sec. 16-21

Variation 2 - 47' E

4.60 Chs. Enter swamp
6.80 " Leave "
8.30 " Enter Spruce swamp
12.00 " Leave swamp
19.36 " Set 1/8 cor. at edge of Spruce swamp
Hem. 6 S 52 E 39.39
23.48 " Leave swamp
34.70 " Enter narrow swamp
36.70 " Leave swamp
38.72 " Set 1/4 cor. No trees near
58.08 " Set West 1/8 cor.
W. Pine 12 S 48 W 44.24
77.45 " To Sec. cor. 16-17-20-21
Country rough and broken with many small
swamps. Covered mostly by Aspen with
some W. Pine seed trees.

North Between Sec. 16-17

Variation 5 - 26' E

11.15 Chs. To old logging road - NE and SW
19.615 " Set 1/8 cor.
Soft Maple 5 S 55 E 11
20.00 " Enter river bottom
23.61 " To Prairie River 90 lks. wide and flows SW
27.50 " To old road East and West. Also follow-
ing close to old fence
36.40 " Enter Tam. and Spruce swamp
39.23 " To 1/4 cor. (org.)
Remaines of org. Hem. B.T. Also fence
cor.

Variation 5 E

47.23 Chs. Leave swamp
53.00 " Slab yard of small saw mill
67.42 " Set 1/8 cor. which fell in Highway "Q"
Marked offset on 1/8 stake and set it as
W.C.
B.T. to W.C. W. Pine stp. 18 N 2 E 68
76.60 " To North Branch Prairie River 30 lks.
wide and flows SE
81.61 " To Sec. cor. 8-9-16-17
Org. Birch 12 S 20 1/2 W 65
Rest. Pine stp. 20 N 50 W 92 1/2
Also fence cor. Fence N & West

West Between Sec. 9-16

Variation 6 - 02' E

Swamp on South side of line

19.21 Chs. Set 1/8 cor. No B.T. ✓
20.00 " To spring; small stream flows South
38.42 " To 1/4 cor. Not org., but excepted by
U.S. Land Commission, Pratt va. P.R.S.C.
Hem. 7 N 30 E 24
Tam. 18 S 52 1/2 E 40 1/2
New Hem. 10 S 82 E 59 Birch 18 N 27 W 47.01

Variation 6 - 22' E

40.20 Chs. To C. and NW. R.R. tracks - N & S
41.50 " To Highway "Q" - NE & SW
57.985 " Set 1/8 cor. on side of hill, about 3
chs. South to river. Aspen 4 N 32 W 1.5 lks.
77.55 " To Sec. cor. 8-9-16-17
Ground rough and rocky. Covered mostly
with Aspen.

North Between Sec. 8-9

Variation 5 E

20.42 Chs. End of N and S fence. Fence W
20.49 " Set 1/8 cor.
23.00 " Enter good second growth hardwood
40.98 " To 1/4 cor. (org.) Found rotted stp.
in position Govt. stated. Also rest.
Birch.
New W. Pine stp. 26 N 89 W 62

Variation 4 - 35' E

56.00 Chs. Enter old windfall
61.00 " Enter swamp
62.075 " Set 1/8 cor.
W. Pine 8 N 70 W 20.3
65.00 " Leave swamp
82.45 " Enter Tam. swamp
83.17 " To org. Sec. cor. 5-4-8-9
Org. Tam. stub 5 S 20 E 5 lks.
" " " 6 S 30 W 64.24
New W. Pine 5 S 13 E 88.48

West Between 4-9

Variation 2 - 19' E

19.45 Chs. To Highway "Q" - NE & SW
19.745 " Set 1/8 cor. West side of road. Elm
6 N 90 E 89.4
37.50 " Enter Tam. & Spruce swamp
39.49 " To org. 1/4 cor. in old logging road
" Tam. 8 S 26 W 7
" " 10 N 65 W 14
Rest. Tam. 12 S 14 E 13

Variation 19 - 02' E

40.30 Chs. Leave swamp
53.40 " Enter swamp. Rough and bad slashing
57.855 " Set W.C. to 1/8 cor. on E side of lake.
B.T. to W.C.
Tam. stub 4 N 12 E 24.24
59.37 " To 1/8 cor. in lake
79.25 " To Sec. cor. 4-5-8-9
Mostly swamp. High ground covered with
Aspen and W. Birch.

North Between Sec. 4-5

Variation 3 - 21' E

0.45 Chs. Logging road - NE & SW
 2.45 " Leave swamp
 19.15 " Road - E and W
 23.08 " Set 1/8 cor. W. Birch 1/4 N 5 W 3.3
 32.00 " Enter S pruce swamp. E & W
 34.24 " Leave " "
 40.85 " Enter mud ponds
 46.16 " Set 1/4 cor. in mud from ice
 52.75 " Set brass cap as W.C. to 1/4 cor. B.T.
 to W.C.
 W. Pine 10 N 61 1/2 W 57.42
 Norway Pine 7 S 38 W 72.12
 Also leave mud swamp
 68.27 " Set 1/8 cor. Birch 12 N 84 1/2 W 5
 72.00 " Marsh
 74.30 " Leave marsh
 86.56 " R.R. track - C & NW
 91.91 " To Sec. cor. 4-5-32-33
 T 34-35N, R9E
 Country very rough filled with many
 small marshes.

North Between Sec. 31-32

Variation 3 - 30'

19.84 Chs. Set 1/8 cor. fell in Highway "H".
 Set stake as W.C. 101' East of cor.
 Highway "H" runs N & S on the Sec. line
 39.68 " Set 1/4 cor. just over East ditch line.
 Old fence runs East a few feet North
 of here. Farmer on West side of road.
 59.52 " Set 1/8 cor. in East ditch.
 74.00 " To school house West of road.
 79.36 " To Sec. cor. 29-30-31-32
 Point of old stake in road intersection.
 Some cleared land for farming and some
 swamp. Very little standing timber of
 any value.

West Between Sec. 29-32

Variation 1 East

West along old cow lane

20.303 Chs. Set 1/8 cor. in road. Set stake N. side
 of road. Fence N. road South. Clear-
 ing both sides of road.
 40.603 " To 1/4 cor. Stone in road with + on
 it. Fence N & S.

Variation .2 East

60.255 Chs. Set 1/8 cor. on N side of road. Clearing
E of here
64.00 " Enter swamp both sides of road
80.907 " To Sec. cor. 29-30-31-32
Country rolling and rocky, with some
swamp. Very little standing timber.
Mostly wood lots.

East Between Sec. 30-31

Variation 4 - 22' E

Gov't. distance 83.40 chs.
" " East to 1/4 cor. 43.00 Chs.
" " " of 1/4 cor. 40.40 Chs.

5.00 Chs. Leave swamp
8.00 " Enter "
13.00 " Leave Alder swamp. Still low ground
24.028 " Set 1/8 cor. Low ground
34.00 " Enter hardwood growth (second growth)
44.918 " Set 1/4 cor.
Maple 12 S 44 E 26.21
Elm 6 N 35 E 55
49.00 " Leave second growth hardwood
66.018 " Set 1/8 cor.
82.00 " Enter swamp
87.118 " To Sec. cor. 29-30-31-32
Land fairly level and low. Covered
with Aspen and Willow.

North Between Sec. 29-30

Variation 2 - 35' E

6.00 Chs. Leave swamp
13.60 " Enter Tam. swamp
18.937 " Set 1/8 cor. in E. ditch
24.24 " Leave swamp
37.875 " Set 1/4 cor. in road
Iron peg 3/4" x 24"
W.C. on West side of road
B.T. to W.C. W. Pine 12 N 13 W 8.6
48.50 " Enter swamp
50.70 " Leave "
56.812 " Set 1/8 cor. about 1.50 chs. West of
Highway "H"
75.75 " Set Sec. cor. 19-20-29-30
Maple 4 N 45 E 4.2
Cherry 4 S 55 E 5.9
Mostly Aspen and W. Birch.
Country rough and rocky.

West Between 20-29

Variation 1. - 33' W

14.00 Chs. Enter Spruce swamp
19.887 " Set 1/8 cor.
W. Pine 6 N 33 W 52.27
26.00 " Leave swamp
31.00 " Logging road - N & S
39.774 " Set 1/4 cor. No B.T.
57.70 " To fire lane NW & SE
Top of ridge
59.661 " Set 1/8 cor. No B.T. at bottom of
ridge
71.70 " Enter swamp
76.30 " Leave "
77.75 " Center of Highway "H"
79.55 " To Sec. cor. 19-20-29-30
Country very rough. Mostly Aspen,
W. Birch, and Cherry brush. Distances
to and from swamps may not be very true
because of long offsets.

East Between Sec. 19-30

Variation 2 E

Corner in river

0.38 Chs. Across river
1.00 " To river again
2.00 " Across river
7.10 " Leave Alders
18.00 " Enter North edge of clearing (2 acres)
Also logging road. N and S
24.11 " Set 1/8 cor. East of clearing
45.20 " Set 1/4 cor. on North edge of swamp
66.29 " Set 1/8 cor. No B.T.
87.38 " To Sec. cor. 19-20-29-30
Country mostly very rough and cut up
by small swamps.

North Between Sec. 19-20

Variation 2 - 35' E

16.00 Chs. Fire lane East off Highway "H"
18.937 " Set 1/8 cor. stake on each side of road
37.874 " To org. 1/4 cor. 3/4" x 25" iron peg
in road bed. No B.T. Road runs West
almost at bottom of hill.

Variation 4 - 14' E

48.30 Chs. To Prairie River bridge. 60 lks. wide
and flows West
57.539 " Set 1/8 cor. in road
23 lks. NW to road sign
75 " NE to SW cor. of store bldg.
56.5 " SE " tel. pole
65.30 " Opposite Parrish Graded School
77.204 " To Sec. cor. 17-18-19-20
27 Stone in road
Mostly Aspen cover and rough. Fairly
level North of Prairie River.

West Between 17-20

Variation 1 - 07' E

48.30
37.87
10.43

10.60 Chs. Logging road SE & NW
14.55 " Same " " NE & SW
20.315 " Set 1/8 cor. in edge of river.
Hem. 10 S 53 E 25.75
This 1/8 should be 11.36 lks. North
32.36 " To Hub. and over river bottom. Offset
around river here
40.63 " To 1/4 cor. (org.)
Reestablished W. Pine stp. 20 S 34 W 37
Iron pipe. set brass cap as W.C.
South of cor. by fence.

Variation 0 - 30' E

Town road N and W which
we followed

59.735 Chs. Set 1/8 cor. Fence South
1/8 set as W.C. North of road
B.T. to W.C. W. Pine stp. N 37 E 42.12
78.84 " To Sec. cor. 17-18-19-20
Country fairly level and sandy. Heavy
White Pine stand in early days.

East Between Sec. 18-19

Variation 1 - 37' W

8.20 Chs. Enter open swamp
13.70 " Leave " "
24.36 " Set 1/8 cor.
33.00 " Trail North and South
38.00 " To edge of clearing about 10 acres
45.63 " To org. 1/4 cor.
New W. Pine stp. N 90 E 19.24
" " " " N 45 W 53.56

Variation 1 E

55.83 Chs. Fence South and following fence East
 63.50 " To creek 12 lks. wide. Flows South
 66.04 " Set 1/8 cor. fence South
 W. Pine stp. 28 N 60 W 28
 83.50 " Fence - SW and NE
 84.55 " To R.R. track - SW and NE
 86.44 " To Sec. cor. 17-18-19-20
 Ground fairly level East of 1/4 cor.
 Rough West of 1/4 cor. Not much forest
 cover.

North Between Sec. 17-18

Variation 5 - 20' E

2.60 Chs. To railroad track - NE & SW
 20.255 " Set 1/8 cor. Set stake on both sides
 of road. Following Highway 17
 40.51 " To 1/4 cor. Restablished B.T. here
 but they would not agree.
 Set cor. in road.
 W. Pine stp. 24 S 50 W 47.35
 " " " 30 S 80 E 89.39
 60.765 " Set 1/8 cor. in Highway.
 W.C. 33' West of road.
 Highway "Q" East on 1/8 line.
 81.02 " To org. Sec. cor. 7-8-17-18
 Rest. Pine stp. 20 N 50 W 92.42
 Birch stub 10 N 30 E 130.6
 Country level. Aspen only forest
 cover. Sandy soil; old W. Pine stand.

West Between Sec. 8-17

Variation 0 - 11' W

Fence North and West of
 corner. Also follow close
 to river bottom

19.15 Chs. Set 1/8 cor. on old dam to fish pond.
 Wagon Trail over dam. 1/8 offset E.
 of trail
 25.00 " Over pond
 29.00 " Leave low ground
 38.00 " Fence N and S
 38.30 " To org. 1/4 cor.
 Rest. W. Pine stp. 30 S 18 W 25.75

Variation 0 - 38' E

- 58.115 Chs. Set 1/8 cor.
Pine stp. 30 S 82 W 24.24
77.93 " To Sec. cor. 7-8-17-18
Land fairly level and sandy.
Country mostly open. Aspen,
Cherry and Elm second growth.

East Between Sec. 7-18

Variation 1 - 26' E

- 9.00 Chs. Enter Alder swamp
16.00 " Enter Tam. swamp
22.34 " Set 1/8 cor. and leave Tam. swamp
26.00 " Enter small swamp
28.00 " Leave " "
31.00 " To old logging road and trail to lakes.
Start to climb high hill
42.20 " Set 1/4 cor. on North side of big
hill. No B.T.
62.06 " Set 1/8 cor. on East side of big hill
66.00 " Fence turns to SW
66.25 " Old road NE & SW
Believe it is old Rhinelander Road
81.92 " To Sec. cor. 7-8-17-18
Good second growth of hardwood on this
big hill.

North Between Sec. 7-8

Variation 4 - 50' E

- 20.57 Chs. Set 1/8 cor. stake on each side of
road. Following Highway 17
41.14 " Set 1/4 cor. iron peg 3/4" x 24"
W.C. West side of road just South of
cement bridge in fill
61.71 " Set 1/8 cor. stake on each side of road
66.30 " Leave Highway 17
82.28 " To Sec. cor. 5-6-7-8.
At edge of Alder swamp.
Found old Tam. stub NW. Believe it is
old B.T. and boxed stp. SE
Country rough and a few highland swamps.

West Between Sec. 5-8

Variation 0 - 25' E

- 4.00 Chs. Leave swamp
10.00 " Enter "
13.80 " Leave swamp
19.79 " Set 1/8 cor. on West side of steep
hill. W Birch 4 S 7 W 7.6
39.58 " Set 1/4 cor.
Pine stp. N 45 E 39.24
Maple 12 S 7 W 83

50.00 Chs. Enter Alder swamp
 59.37 " Set 1/8 cor. on North side of creek.
 Tam. 10 S 70 W 119.5
 76.90 " Leave swamp
 79.17 " To Sec. cor. 5-6-7-8.
 At edge of swamp.
 Ground rough and broken with swamp.
 Creek bottom part of old beaver flowage.

East Between Sec. 6-7

Variation 1 - 40' E

20.28 Chs. Set 1/8 cor.
 39.60 " Set 1/4 cor. on North side of hill
 facing into swamp
 W. Pine stp. 14 N 43 E 30.3
 43.00 " Enter wet swamp
 48.00 " Leave " "
 58.92 " To Highway 17 and set 1/8 cor. stake
 on each side of highway
 72.00 " Enter Tam. & Spruce swamp
 73.60 " Leave " " " "
 75.00 " Enter Alder swamp
 78.24 " To Sec. cor. 5-6-7-8
 Ground rough and broken by many small
 swamps. Second growth hardwood not
 very good.

North Between Sec. 5-6

Variation 2- 04' E

11.30 Chs. To creek 15 lks. wide flowing SE
 12.80 " Leave Alder swamp
 21.645 " Set 1/8 cor.
 Maple 8 S 33 1/2 W 61.36
 43.29 " Set 1/4 cor.
 Maple 28 S 18 W 67.57
 Maple 12 N 43 W 19.85
 Passing through a fair growth of
 small hardwoods.
 64.41 " Set 1/8 cor.
 W. Pine stp. 30 N 46 W 81.81
 76.10 " Enter swamp
 82.00 " Leave "
 85.00 " To C. & N.W. R.R. tracks
 85.53 " " Sec. cor. 5-6-31-32, T34-35N, R9E
 Country rough and full of swamps.
 Small hardwood and conifers.

These field notes are a result of a resurvey of T34N, R9E, known as the Town of Parrish, Langlade County, State of Wisconsin.

All the random lines were run with a transit and corrections offset from random. Measurements were made with a 100 foot steel tape, true lengths being computed and changed to chains and decimals thereof.

This work was done to the best of our ability and according to the requirements of the U.S. M. of I. to Surveyors and instructions given by Wis. Conservation Department.

Chief of Party and
Instrument Man
T.H. Kilroe

Assisting
D.A. Hintz

copied
March-'59
IMF